



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit. The input array of strings is passed to the batch job, which does NOT do any filtering or aggregating. What payload is logged by the Logger component?



- A. Summary report of processed records
- B. ["Apple", "Banana"]
- C. ["Apptel2", "Bananal2"]
- D. ["Apptel", "Bananal", 2]

Correct Answer: B

QUESTION 2

A Mule flow has three Set Variable transformers. What global data structure can be used to access the variables?

- A. Mule event attributes
- B. Mule event message
- C. Mule application properties
- D. Mule event

Correct Answer: D



QUESTION 3

Refer to the exhibits. The Set Payload transformer in the addItem child flow uses DataWeave to create an order object.

What is the correct DataWeave code for the Set Payload transformer in the createOrder flow to use the



addItem child flow to add a router call with the price of 100 to the order?



```
1 @%dw 2.0
2 output application/json
3 ---
4 order: {
5   item: {
6     itemName: payload.item,
7     itemType: payload.itemType,
8     price: payload.price
9   }
10 }
```

- A. lookup("addItem", { price: "100", item: "router", itemType: "cable" })
- B. addItem({ payload: { price: "100", item: "router", itemType: "cable" } })
- C. lookup("addItem", { payload: { price: "100", item: "router", itemType: "cable" } })
- D. addItem({ price: "100", item: "router", itemType: "cable" })

Correct Answer: C

QUESTION 4

What is a core characteristic of the Modern API?

- A. API is rapidly prototyped following AGILE methodology.
- B. API follows the RESTful architecture.
- C. API is designed first using an API specification for rapid feedback.
- D. API has a mechanism to accept feedback and suggestions for improvement.

Correct Answer: C

QUESTION 5

A company has an API to manage purchase orders, with each record identified by a unique purchase order ID. The API was built with RAML according to MuleSoft best practices. What URI should a web client use to request order P05555?

- A. /orders/{P05555}
- B. /orders/order=P05555
- C. /orders?order=P05555



D. /orders/P05555

Correct Answer: D

[MCD-LEVEL1-DELTA PDF
Dumps](#)

[MCD-LEVEL1-DELTA Study
Guide](#)

[MCD-LEVEL1-DELTA
Braindumps](#)