



# MCD-LEVEL1-DELTA<sup>Q&As</sup>

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

## Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1-delta.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Mulesoft  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibits.



```
<flow name="main">
  <http:listener doc:name="HTTP: POST /jms" config-ref="HTTP_Listener_config" path="/jms" />
  <jms:publish doc:name="JMS: one" config-ref="JMS_Config" destination="one" >
    <jms:message outboundContentType="text/plain" />
  </jms:publish>
  <http:request method="POST" doc:name="HTTP: POST /data" url="http://localhost:8081/data"/>
  <jms:publish-consume doc:name="JMS: two" config-ref="JMS_Config" destination="two">
    <jms:message outboundContentType="text/plain" />
  </jms:publish-consume>
  <set-payload value='#[payload ++ "Three"]' doc:name='payload as String ++ "Three"' />
</flow>
```

A web client sends a POST request to the HTTP Listener with the payload "Hello-". What response is returned to the web client? What response is returned to the web client?


- A. Hello- HTTP-] MS2-Three
- B. HTTP-JMS2-Three
- C. Hello-JMS1-HTTP-JMS2 -Three
- D. Hello-HTTP-Three



Correct Answer: A

## QUESTION 2

Refer to the exhibits.



The two Mule configuration files belong to the same Mule project. Each HTTP Listener is configured with the same host string and the port number, path, and operation values are shown in the display names. What is the minimum number of global elements that must be defined to support all these HTTP Listeners?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: C



### QUESTION 3

According to Semantic Versioning, which version would you change for incompatible API changes?

- A. MINOR
- B. PATCH
- C. MAJOR
- D. No change

Correct Answer: C

### QUESTION 4

What DataWeave 2.0 type can be used as input to a mapObject operation?


- A. Array
- B. Object
- C. String
- D. Map

Correct Answer: B

### QUESTION 5

Refer to the exhibits.

**orders.csv**  
orderId,account  
100, partnerA  
101, acme.com  
102, mybank.com  
103, onlineSales



The orders.csv file is read, then processed to look up the orders in a database. The Mule application is debugged in Any point Studio and stops at the breakpoint. What is the payload shown in the debugger at this breakpoint?

- A. "none"
- B. The entire CSV file
- C. The database response



D. 100

Correct Answer: D

[MCD-LEVEL1-DELTA VCE  
Dumps](#)

[MCD-LEVEL1-DELTA Study  
Guide](#)

[MCD-LEVEL1-DELTA  
Braindumps](#)