



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DataWeave is tightly integrated with _____.

- A. Mule runtime
- B. All APIs
- C. Flow Designer
- D. Exchange

Correct Answer: A

QUESTION 2


What is the difference between a subflow and a sync flow?

- A. Sync flow has no error handling of its own and subflow does.
- B. Subflow has no error handling of its own and sync flow does.
- C. Subflow is synchronous and sync flow is asynchronous.
- D. No difference.

Correct Answer: B

QUESTION 3

Refer to the exhibits.



```
<flow name="main">
  <http:listener doc:name="HTTP: POST /jms" config-ref="HTTP_Listener_config" path="/jms" />
  <jms:publish doc:name="JMS: one" config-ref="JMS_Config" destination="one" >
    <jms:message outboundContentType="text/plain" />
  </jms:publish>
  <http:request method="POST" doc:name="HTTP: POST /data" url="http://localhost:8081/data"/>
  <jms:publish-consume doc:name="JMS: two" config-ref="JMS_Config" destination="two">
    <jms:message outboundContentType="text/plain" />
  </jms:publish-consume>
  <set-payload value='#[payload ++ "Three"]' doc:name='payload as String ++ "Three"' />
</flow>
```

A web client sends a POST request to the HTTP Listener with the payload "Hello-". What response is returned to the web client? What response is returned to the web client?

- A. Hello- HTTP-] MS2-Three
- B. HTTP-JMS2-Three
- C. Helb-JMS1-HTTP-JMS2 -Three
- D. Hello-HTTP-Three

Correct Answer: A

QUESTION 4



What does the minus operator do in DataWeave?

- A. Decrements the value by one.
- B. Removes items from a list.
- C. Increments the value by one.
- D. Removes characters from a string.

Correct Answer: B

QUESTION 5

Refer to the exhibit.



What is the correct syntax to add an employee ID as a URI parameter in an HTTP Listener path?

- A. (employeeID)
- B. \${employeeID}
- C. {employeeID}
- D. # [employeeID]

Correct Answer: C

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA VCE Dumps](#) [MCD-LEVEL1-DELTA Exam Questions](#)