



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A Mule project contains a DataWeave module called MyModule.dwl that defines a function named formatString. The module is located in the project's src/main/resources/modules folder. What is the correct way in DataWeave code to import MyModule using a wildcard and then call the module's formatString function?

- A.

```
%dw 2.0
output application/json
import * from modules.MyModule
---
MyModule.formatString( "annie point" )
```
- B.

```
%dw 2.0
output application/json
import * from modules::MyModule
---
MyModule::formatString( "annie point" )
```
- C.

```
%dw 2.0
output application/json
import * from modules.MyModule
---
formatString( "annie point" )
```
- D.

```
%dw 2.0
output application/json
import * from modules::MyModule
---
formatString( "annie point" )
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 2

Refer to the exhibit.



```
##RAML 1.0
title: Accounts API

/accounts:
  get:
    queryParameters:
      account_type:
        required: true
        enum:
          - "retail"
          - "commercial"
      industry:
        required: true
        enum:
          - "finance"
          - "construction"
          - "government"
```

This RAML specification includes a resource and method to retrieve accounts by account_type and industry.

What is the correct URI to get all retail finance accounts?

- A. /accounts/retail/finance
- B. /accounts?account_type=retailandindustry=finance
- C. /accounts/account_type=retail/industry=finance
- D. /accounts?account_type:retailandindustry:finance

Correct Answer: C

QUESTION 3

Which one of them is NOT a flow in Mule?

- A. sync flow
- B. subflow
- C. async flow
- D. async sub flow

Correct Answer: D



QUESTION 4

Refer to the exhibit.




What is the output payload in the On Complete phase

- A. summary statistics with NO record data
- B. The records processed by the last batch step: [StepTwo1, StepTwo2, StepTwo3]
- C. The records processed by all batch steps: [StepTwoStepOne1, stepTwoStepOne2, StepTwoStepOne3]
- D. The original payload: [1,2,3]

Correct Answer: D

QUESTION 5

What DataWeave expression transforms the example XML input to the CSV output?



- A.

```
payload.sale.*item map ( (value,index) -> {
  index: index,
  sale: value.@saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.@itemId
} )
```
- B.

```
payload.sale.*item map ( (value,index) -> {
  index: index,
  sale: value.saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.itemId
} )
```
- C.

```
payload.sale.item map ( (value,index) -> {
  index: index,
  sale: value.@saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.@itemId
} )
```
- D.

```
payload.sale.item map ( (value,index) -> {
  index: index,
  sale: value.saleId,
  itemName: value.desc,
  itemPrice: (value.price) * (value.quantity),
  item: value.itemId
} )
```



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

[Latest MCD-LEVEL1-DELTA Dumps](#)

[MCD-LEVEL1-DELTA PDF Dumps](#)

[MCD-LEVEL1-DELTA VCE Dumps](#)