



# MCD-LEVEL1<sup>Q&As</sup>

MuleSoft Certified Developer - Level 1 (Mule 4)

## Pass Mulesoft MCD-LEVEL1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which file is used to define the interface contract to invoke a web service implemented as a SOAP service

- A. RAML
- B. WSDL
- C. JSON
- D. OAS

Correct Answer: B

WSDL is used to define the contract in case of SOAP . RAML/OAS is used to REST services

### QUESTION 2

Refer to the exhibit.

```
##RAML 1.0
title: ACME Telecom API
version: 1.0

/plans:
  get:
    responses:
      200:
        body:
          application/json:
            example: |
              [
                {
                  "plan_type": "Super Saver 500",
                  "plan_details": "all-inclusive",
                  "monthly_discount": 0.10
                },
                {
                  "plan_type": "Business Plus 1000",
                  "plan_details": "business package",
                  "monthly_discount": 0.20
                }
              ]
```

The API needs to be updated using the company-wide standard for the Plan data type. The Object data type has already been published in Anypoint Exchange with the global reference . ACME/DataTypes/PlanDataType.raml. What is a valid RAML specification that reuses the Plan data type?



A. )

```
##RAML 1.0
title: ACME Telecom API
version: 1.0

dataTypes:
  Plan: !include ACME/DataTypes/PlanDataType.raml

/plans:
  get:
    responses:
      200:
        body:
          application/json:
            type: Plan[]
            example: !include ACME/Examples/PlanExamples.raml
```

B. )

```
##RAML 1.0
title: ACME Telecom API
version: 1.0

types:
  Plan: !reference ACME/DataTypes/PlanDataType.raml

/plans:
  get:
    responses:
      200:
        body:
          application/json:
            type: Plan[]
            example: !reference ACME/Examples/PlanExamples.raml
```

C. )

```
##RAML 1.0
title: ACME Telecom API
version: 1.0

dataTypes:
  Plan: !reference ACME/DataTypes/PlanDataType.raml

/plans:
  get:
    responses:
      200:
        body:
          application/json:
            type: Plan[]
            example: !reference ACME/Examples/PlanExamples.raml
```

D. )

```
##RAML 1.0
title: ACME Telecom API
version: 1.0

types:
  Plan: !include ACME/DataTypes/PlanDataType.raml

/plans:
  get:
    responses:
      200:
        body:
          application/json:
            type: Plan[]
            example: !include ACME/Examples/PlanExamples.raml
```



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

As can be seen in RAML, POST expects input in application/json format which eliminates two of the options as two options are in xml format. Now out of the two remaining options, one has id field in request which is only mentioned for get

response and not for POST request. Hence id field is not expected in POST request.



Hence correct answer is

```
{  
  "name": "GoerdiLa Forge",  
  "address": "1 Westland CA",  
  "customer_since": "2014-01-04",  
  "balance": "4829.29",  
  "bank_agend_id": "12556"  
}
```

---

### QUESTION 3

Refer to the exhibits.



In the Choice router, the When expression for the domesticShipping route is set to `#[payload = "FR"]`. What is logged after the Choice router completes?



- A. A string with value "FR"
- B. A DataWeave syntax error
- C. The result of the internationalShipping flow
- D. The result of the domesticShipping flow

Correct Answer: B

---

#### QUESTION 4

A flow has a JMS Publish consume operation followed by a JMS Publish operation. Both of these operations have the default configurations. Which operation is asynchronous and which one is synchronous?

- A. Publish consume: Synchronous. Publish: Asynchronous.
- B. Publish consume: Asynchronous. Publish: Synchronous
- C. Publish consume: Asynchronous. Publish: Asynchronous
- D. Publish consume: Synchronous. Publish: Synchronous

Correct Answer: A

Publish consume: Synchronous. Publish: Asynchronous.

---

#### QUESTION 5

Which of the module is imported automatically in DataWeave scripts?

- A. dw::core
- B. dw::System
- C. dw::Runtime
- D. dw::Crypto

Correct Answer: A

Core (dw::Core) This module contains core DataWeave functions for data transformations. It is automatically imported into any DataWeave script.

[MCD-LEVEL1 Study Guide](#)

[MCD-LEVEL1 Exam  
Questions](#)

[MCD-LEVEL1 Braindumps](#)