



MCD-LEVEL1^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4)

Pass Mulesoft MCD-LEVEL1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



```
<flow name="validatePayload" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <set-payload value="Before" doc:name="Before" />
  <validation:is-null doc:name="payload" value="#[payload]" message="Validation Error"/>
  <set-payload value="After" doc:name="After" />
</flow>
```

What is the response to a web client request to <http://localhost:8081>?

- A. After
- B. before
- C. Validation Error
- D. null

Correct Answer: C

QUESTION 2

A Mule application configured with Autodiscovery implements an API. Where is governance enforced for policies defined for this Mule application?

- A. In Runtime Manager
- B. Runtime Manager
- C. In the Mule application
- D. In API manager

Correct Answer: D



Correct answer is API manager


QUESTION 3

Refer to the exhibits.

A web client sends sale data in a POST request to the Mule application. The Transform Message component then enrich the payload by prepending a vendor name to the sale data.

What is written to the sales.csv file when the flow executes?

```
<?xml version="1.0" encoding="UTF-8"?>
<sale>
  <transaction_id>SS-4848-44KK-4SYQ</transaction_id>
  <customer_id>anniepoint@acme.com</customer_id>
  <customer>Annie Point</customer>
  <item>Car Seat</item>
  <qty>1</qty>
  <price>59</price>
</sale>
```



```
<flow name="writeRecords" >
  <http:listener doc:name="HTTP: POST /sales" config-ref="HTTP_Listener_config"
    path="/sales" allowedMethods="POST"/>
  <ee:transform doc:name="Add vendor name" >
    <ee:message >
      <ee:set-payload ><![CDATA[%dw 2.0
        output application/json
        ---
        {vendor: "Acme"} ++ payload.sale]]>
      </ee:set-payload>
    </ee:message>
  </ee:transform>
  <file:write doc:name="File: sales.csv" path="file-store/sales.csv">
  </file:write>
</flow>
```

- A. The enriched payload in JSON format
- B. The enriched payload in XML format
- C. The enriched payload in CSV format
- D. An error message

Correct Answer: A

Reference: <https://developer.mulesoft.com/tutorials-and-howtos/quick-start/how-to-create-your-first-munit-test-in-anypoint-studio>



QUESTION 4

What is the minimum Cloudhub worker size that can be specified while deploying mule application?

- A. 0.2 vCores
- B. 0.5 vCores
- C. 1.0 vCores
- D. 0.1 vCores

Correct Answer: D

Correct answer is 0.1 vCores MuleSoft Doc Ref : <https://docs.mulesoft.com/runtime-manager/cloudhub-architecture#cloudhub-workers> CloudHub Workers Workers are dedicated instances of Mule runtime engine that run your integration applications on CloudHub. The memory capacity and processing power of a worker depends on how you configure it at the application level. Worker sizes have different compute, memory, and storage capacities. You can scale workers vertically by selecting one of the available worker sizes:

Worker Size	Heap Memory	Storage
0.1 vCores	500 MB	8 GB
0.2 vCores	1 GB	8 GB
1 vCore	1.5 GB	12 GB
2 vCores	3.5 GB	40 GB
4 vCores	7.5 GB	88 GB
8 vCores	15 GB	168 GB
16 vCores	32 GB	328 GB

**QUESTION 5**

Refer to the exhibit.

The screenshot displays a web application interface with three main sections. On the left, a text area labeled 'order.xml' contains an XML document. In the center, a 'Context' dropdown menu is set to 'payload'. On the right, the 'Output Payload' section shows the resulting JSON output.

```
<?xml version="1.0" encoding="UTF-8"?>
<order>
  <item orderId="592">
    <shipping>international</shipping>
    <item>T-shirt Navy</item>
    <size>L</size>
    <quantity>1</quantity>
    <price>20</price>
  </item>
  <item orderId="972">
    <shipping>domestic</shipping>
    <item>Cargo Shorts</item>
    <size>XL</size>
    <quantity>2</quantity>
    <price>30</price>
  </item>
</order>
```

Output Payload

```
1 @%dw 2.0
2 output application/json
3 ---
[
  {
    "index": 0,
    "orderId": "592",
    "itemName": "T-shirt Navy",
    "lineItemPrice": 20
  },
  {
    "index": 1,
    "orderId": "972",
    "itemName": "Cargo Shorts",
    "lineItemPrice": 60
  }
]
```

What Database expression transforms the input to the output?



- A.

```
payload.order.*item map ( (value,index) -> {  
    index: index,  
    orderId: value.orderId,  
    itemName: value.item,  
    lineItemPrice: (value.price as :number) * (value.quantity as :number)  
})
```
- B.

```
payload.order.*item map ( (value,index) -> {  
    index: index,  
    orderId: value.@orderId,  
    itemName: value.item,  
    lineItemPrice: (value.price as Number) * (value.quantity as Number)  
})
```
- C.

```
payload.order.*item map ( (value,index) -> {  
    index: index,  
    orderId: value.@orderId,  
    itemName: value.item,  
    lineItemPrice: (value.price as :number) * (value.quantity as :number)  
})
```
- D.

```
payload.order.*item map( (value,index) -> {  
    index: index,  
    orderId: value.orderId,  
    itemName: value.item,  
    lineItemPrice: (value.price as Number) * (value.quantity as Number)  
})
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

[MCD-LEVEL1 PDF Dumps](#)

[MCD-LEVEL1 VCE Dumps](#)

[MCD-LEVEL1 Exam
Questions](#)