



MS-600^{Q&As}

Building Applications and Solutions with Microsoft 365 Core Services

Pass Microsoft MS-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ms-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="checkbox"/>	<input type="checkbox"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="checkbox"/>	<input type="checkbox"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

Answer Area

Statements	Yes	No
A Microsoft Office Add-in manifest must be stored in Azure Directory (Azure AD).	<input type="checkbox"/>	<input checked="" type="checkbox"/>
A Microsoft Office Add-in manifest must be in the JSON format.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
A Microsoft Office Add-in manifest must contain a URI that points to the location that hosts the add-in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Box 1: No

Box 2: No

The manifest is in XML format.

Box 3: Yes

SourceLocation is required and specifies the source file location(s) for your Office Add-in as a URL between 1 and 2048



characters long. The source location must be an HTTPS address, not a file path.

References:

<https://docs.microsoft.com/en-us/office/dev/add-ins/develop/add-in-manifests>

<https://docs.microsoft.com/en-us/office/dev/add-ins/reference/manifest/sourcelocation>

QUESTION 2

This question requires that you evaluate the underlined text to determine if it is correct-

For a Microsoft Office Add-in, you set the icon in the Microsoft SharePoint app catalog.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. a JSON manifest file
- C. the Office app catalog
- D. an XML manifest file

Correct Answer: D

QUESTION 3

HOTSPOT

You are developing a single page application (SPA) named App1 that will be used by the public.

Many users of App1 restrict pop-up windows from opening in their browser.

You need to authenticate the users by using the Microsoft identity platform. The solution must meet the following requirements:

1.

Ensure that App1 can read the profile of a user.

2.

Minimize user interaction during authentication.

3.

Prevent App1 from requiring admin consent for any permissions.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Hot Area:

Answer Area

```
function authCallback(error, response) {
}
userAgentApplication.handleRedirectCallback(authCallback);
const accessTokenRequest: AuthenticationParameters = {
    scopes:["user.read"]
    scopes:["user.read.all"]
    scopes:["people.read"]
    scopes:["people.read.all"]
}
userAgentApplication. (accessTokenRequest).then(function
(accessTokenResponse) {
    let accessToken = accessTokenResponse.accessToken;
}).catch(function(error) {
    console.log(error);
    if (error.errorMessage.indexOf("interaction_required") !== -1) {
        userAgentApplication. (accessTokenRequest);
    }
});
```

Correct Answer:



Answer Area

```
function authCallback(error, response) {  
}  
userAgentApplication.handleRedirectCallback(authCallback);  
const accessTokenRequest: AuthenticationParameters = {  
  scopes: ["user.read"]  
  scopes: ["user.read.all"]  
  scopes: ["people.read"]  
  scopes: ["people.read.all"]  
}  
}  
userAgentApplication.  
  (accessTokenRequest).then(function  
  (accessTokenResponse) {  
    let accessToken = accessTokenResponse.accessToken;  
  }).catch(function(error) {  
    console.log(error);  
    if (error.errorMessage.indexOf("interaction_required") !== -1) {  
      userAgentApplication.  
        (accessTokenRequest);  
    }  
  });  
});
```

QUESTION 4

HOTSPOT

You are developing an interactive invoicing application that will be used by end users. The application will have the following features:

Save invoices generated by a user to the user's Microsoft OneDrive.

Email daily automated reminders.

You need to identify which permissions to grant for the application features. The solution must use the principle of least privilege.

Which permission should you grant for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

Save invoices

	▼
Administrator	
Application	
Delegated	
Super User	

Send automated reminder's

	▼
Administrator	
Application	
Delegated	
Super User	

Correct Answer:

Answer Area

Save invoices

	▼
Administrator	
Application	
Delegated	
Super User	

Send automated reminder's

	▼
Administrator	
Application	
Delegated	
Super User	

Microsoft identity platform supports two types of permissions: delegated permissions and application permissions.

Box 1: Delegated

Delegated permissions are used by apps that have a signed-in user present. For these apps, either the user or an administrator consents to the permissions that the app requests, and the app is delegated permission to act as the signed-in

user when making calls to the target resource.



Box 2: Application

Application permissions are used by apps that run without a signed-in user present; for example, apps that run as background services or daemons. Application permissions can only be consented by an administrator.

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/develop/v2-permissions-and-consent>

QUESTION 5

Which URI should you use to query all the emails that relate to an invoice?

```
https://graph.microsoft.com/v1.0/me/messages?$search="{invoiceid}"
https://graph.microsoft.com/v1.0/me/messages?$subject eq {invoiceid}
https://graph.microsoft.com/v1.0/me/messages?${invoiceid}
https://graph.microsoft.com/v1.0/me/messages?$filter=contains(subject,{invoiceid})
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A