

MTCNA Q&As

MikroTik Certified Network Associate Exam

Pass MikroTik MTCNA Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/mtcna.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by MikroTik
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/mtcna.html 2024 Latest passapply MTCNA PDF and VCE dumps Download

QUESTION 1

You want to	o implement a m	echanism that	automates the II	P configuration,	, including IP	ʻaddress, s	subnet mask,	default
gateway, a	nd DNS informa	tion. Which pro	tocol will you us	e to accomplish	n this?			

gateway, and DNS information. Which protocol will you use to accomplish this?
A. SMTP
B. SNMP
C. DHCP
D. ARP

QUESTION 2

Correct Answer: C

Which of the following keystrokes enables safe mode in console:

A. Ctrl+x

B. Ctrl+c

C. Ctrl+d

D. Ctrl+s

Correct Answer: A

QUESTION 3

A client uses a RouterBOARD1000. The clock is configured in \\'/system clock\\'. The clock resets to default after each reboot.

Select the best solution for the problem.

- A. Write a script in \\'/system script\\' to set the clock
- B. Configure \\'/system ntp server\\' and set a valid and reachable NTP client address.
- C. Configure \\'/system ntp client\\' and set a valid and reachable NTP server address.
- D. Open the router and ensure the CMOS battery is fine.

Correct Answer: C

QUESTION 4

For user in local PPP Secrets/PPP Profiles database, it is possible to



https://www.passapply.com/mtcna.html 2024 Latest passapply MTCNA PDF and VCE dumps Download

- A. Allow/deny use of more than one login by this user
- B. Allow login by PPPoE and PPTP, but deny login by L2TP
- C. Set max values for transferred data (Rx/Tx)
- D. Allow only PPPoE login
- E. Deny services (like telnet) only for this user or for one group of users

Correct Answer: ACD

QUESTION 5

If ARP=reply-only is configured on an interface, tcarmehis interface will

- A. accept all IP addresses listed in \\'/ip arp\\' as static entries
- B. add new MAC addresses in \\'/ip arp\\' list
- C. accept IP and MAC address combinations listed in \\'/ip arp\\' list
- D. accept all MAC-addresses listed in \\'/ip arp\\' as static entries
- E. add new IP addresses in \\'/ip arp\\' list

Correct Answer: A

MTCNA VCE Dumps

MTCNA Practice Test

MTCNA Exam Questions