



NCM-MCI^{Q&As}

Nutanix Certified Master - Multicloud Infrastructure

Pass Nutanix NCM-MCI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncm-mci.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator deletes a large amount of data from a Volume Group presented to a Linux VM. The administrator notices that the deleted data has not been reclaimed as usable storage. What action should be taken to reclaim the storage capacity?

- A. Shrink the Volume Group that is associated with the Linux VM
- B. Unmount the Volume Group and then Remount the Volume Group
- C. Enable the unman operation on the Linux VM
- D. Run Defrag on the Linux VM

Correct Answer: B

<https://next.nutanix.com/how-it-works-22/vm-capacity-and-prism-capacity-are-different-33134>

QUESTION 2

A Nutanix cluster is deployed with the following configuration:

1.
Three four-node blocks (A, B, and C)

2.
All Flash Redundancy Factor 2

What is the effect of simultaneous disk failures on two nodes located in block A?

- A. VMs are migrated off of the nodes with disk failures.
- B. Each node with a failed disk is marked as degraded.
- C. VM read and write operations continue normally.
- D. VMs on the nodes with failed disks are unable to write data

Correct Answer: D

Ref: <https://next.nutanix.com/how-it-works-22/redundancy-factor-vs-replication-factor-37486>

QUESTION 3

An administrator migrates a VM onto a new Nutanix cluster. After the migration, the administrator observes the following conditions:

- 1.



Cluster memory utilization: 64%

2.

Cluster CPU utilization: 19%

3.

Cluster storage utilization: 32%

4.

Average VM CPU utilization: 25%

5.

Average VM CPU ready%: 24%

6.

Average VM memory utilization: 60%

Which two changes should the administrator make to improve VM performance? (Choose two.)

- A. Add more memory to the VMs.
- B. Reduce the number of vCPUs assigned to VMs.
- C. Replace high core count CPUs with high clock rate CPUs. (also can be but is physical invas)
- D. Reduce the number of VMs on the hosts.

Correct Answer: BD

ref <http://www.joshodgers.com/tag/cpu-ready/>

QUESTION 4

A customer recently set up Async Replication between Site A and Site B. The customer wants to conduct a planned failover and clicks Activate on Site B.

The customer then runs the following command on Site A:

```
ncli pd deactivate_and__destroy_vms name=
```

What does this do to the customer environment?

- A. VMs get deleted from Site B. and the protection domain is now Active.
- B. VMs are powered off on Site A and must be manually powered on at Site B.
- C. VMs get deleted from Site A and the protection domain is no longer active.
- D. Customer must then manually power off VMs at Site A and power them on at Site B.



Correct Answer: C

https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prism-v5_10:wc-protection-domain-failback-disaster.html

QUESTION 5

An administrator needs to relocate an AHV cluster to a new datacenter during a maintenance window. The cluster will use the same IPs in the new datacenter. Which two steps should be taken to prepare for this task? (Choose two.)

- A. Stop all Nutanix Files clusters
- B. Relocate the linked LDAP servers
- C. Shut down all user VMs in the cluster
- D. Reconfigure IPMI for the new datacenter

Correct Answer: AC

Ref: <https://next.nutanix.com/installation-configuration-23/physical-relocation-of-nutanix-clusters-38403>

[NCM-MCI PDF Dumps](#)

[NCM-MCI Practice Test](#)

[NCM-MCI Study Guide](#)