



NCM-MCI^{Q&As}

Nutanix Certified Master - Multicloud Infrastructure

Pass Nutanix NCM-MCI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncm-mci.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator is currently using both 10g uplink with LACP and balance-tcp. A single VM should not be allowed to use more than a single 10G uplink, and both uplinks should be utilized. Which two command should be used to configure the bond? (choose two)

- A. Ovs-vsctl set port br0-up bond_mode=balance-slb
- B. Ovs-vsctl set port br0-up bond_mode=balance-tcp
- C. Ovs-vsctl set port br0-up bond_mode=active-backup
- D. Ovs-vsctl set port br0-up other_config: bond-rebalance-interval=30000

Correct Answer: AD

QUESTION 2

A customer has a Nutanix cluster with 10Gb connectivity via switch fabric extenders. The administrator receives NCC health check errors of latency greater than 200ms. Which action should the administrator take to resolve the NCC errors?

- A. Replace the switch fabric extenders with 10G line rate switches
- B. Upgrade NCC and increase the CVM memory by 4Gb
- C. Add 2 additional 10G uplinks from the switch fabric extenders per node
- D. Upgrade NCC and increase the vCPU of the CVM

Correct Answer: A

Ref: <https://portal.nutanix.com/page/documents/details?targetId=System-Specs-G6-Single-Node:set-block-connect-c.html>

QUESTION 3

An administrator is deploying Nutanix Files 3.5 and needs to configure the sizing of the FSVMs for an increased number of concurrent SMB connections over the default 750. What should the administrator do?

- A. Deploy the Files VMs. power down the three FSVMs. change the CPU and RAM via Prism, and then power the three FSVMs back up
- B. During installation, click Customize on the File Server Installation screen, change the number of connections, and finish the installation
- C. Complete the default installation change the CPU and RAM in Prism, and then log into the File Server dashboard and change the Filer Server Properties
- D. During installation, input the correct number of connections in the File Server Installation screen and complete the installation



Correct Answer: B

Ref: https://portal.nutanix.com/page/documents/details?targetId=Files-v3_6:fil-file-server-manage-c.html

QUESTION 4

An organization is planning an upgrade to AOS 5.15 and wants to understand which cluster products and/or services are supported for physical traffic isolation. Which Nutanix component supports its network traffic being isolated onto its own virtual network?

- A. Volumes
- B. Objects
- C. Containers
- D. Files

Correct Answer: A

QUESTION 5

A Nutanix cluster is deployed with the following configuration:

1.

Three four-node blocks (A, B, and C)

2.

All Flash Redundancy Factor 2

What is the effect of simultaneous disk failures on two nodes located in block A?

- A. VMs are migrated off of the nodes with disk failures.
- B. Each node with a failed disk is marked as degraded.
- C. VM read and write operations continue normally.
- D. VMs on the nodes with failed disks are unable to write data

Correct Answer: D

Ref: <https://next.nutanix.com/how-it-works-22/redundancy-factor-vs-replication-factor-37486>

[Latest NCM-MCI Dumps](#)

[NCM-MCI VCE Dumps](#)

[NCM-MCI Practice Test](#)