



NCP-5.10^{Q&As}

Nutanix Certified Professional (NCP) 5.10 Exam

Pass Nutanix NCP-5.10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncp-5-10.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which change can be made on a cluster with software-based Data-at-Rest Encryption enabled?

- A. Disable encryption on the cluster
- B. Deploy an additional Native KMS Server
- C. Enable encryption for a VM
- D. Change Native KMS to External KMS

Correct Answer: C

Reference: <https://next.nutanix.com/blog-40/security-with-simplicity-encryption-for-your-data-with-1-click-28225>

QUESTION 2

A guest VM should be able to tolerate simultaneous failure of two nodes or drives. What are the minimum requirements for the Nutanix cluster?

- A. 3 nodes with cluster RF 3 and container RF 3
- B. 3 nodes with cluster RF 3 and container RF 2
- C. 5 nodes with cluster RF 2 and container RF 3
- D. 5 nodes with cluster RF 3 and container RF 3

Correct Answer: D

QUESTION 3

An administrator is working on a one-node ROBO cluster configuration. Which statement is true for this configuration?

- A. CVM should be assigned 8 vCPUs and 20 GB memory
- B. Supported hardware is NX-1175S-G5 and NX-1175S-G6
- C. The minimum RPO for this form factor is 8 hours
- D. A Witness VM is required to break the quorum

Correct Answer: B

Reference: <https://www.nutanix.com/blog/unlocking-the-roboedge-it-landscape-with-the-launch-of-nutanix-1-node-cluster>

QUESTION 4



Which Nutanix feature allows a Nutanix cluster to present iSCSI storage to an external device?

- A. Acropolis File Service
- B. Acropolis block service
- C. Storage Pool
- D. Storage container

Correct Answer: B

QUESTION 5

An administrator has a cluster in a secure environment. The administrator wants to disable password authentication over SSH to access the cluster.

Which configuration should the administrator use to disable password authentication over SSH?

- A. Modify the SSH configuration on each host.
- B. Enable cluster lockdown in Prism.
- C. Modify the SSH configuration on each CVM.
- D. Configure a proxy server in Prism.

Correct Answer: B

[NCP-5.10 PDF Dumps](#)

[NCP-5.10 VCE Dumps](#)

[NCP-5.10 Exam Questions](#)