



NCP-5.15^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-MCI 5.15)

Pass Nutanix NCP-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncp-5-15.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator is configuring NTP for Nutanix cluster.

How many NTP sources must they configure to identify a false ticker and provide redundancy?

- A. 2
- B. 4
- C. 3
- D. 5

Correct Answer: B

QUESTION 2

Which three drivers are included in the Nutanix virtio package? (choose three) A. SCSI drivers

- B. memory Balloon driver
- C. USB driver
- D. Video driver
- E. NIC Drivers

Correct Answer: ABE

QUESTION 3

An administrator responsible for a VDI environment needs to investigate reports of slow logins. The administrator finds that increasing the number of vCPUs from 2 to 4 will reduce the login times. Production workloads are consuming 75% of the host CPU on the cluster. The administrator increases the vCPU count on all of the VDI VMs.

What are two impacts on the cluster? (Choose two)

- A. Increasing CPU counts will decrease memory utilization
- B. Increase memory utilization%
- C. Increase CPU utilization%
- D. Increase CPU ready%

Correct Answer: AB

QUESTION 4



The external identity source (e.g., Active Directory) is unavailable.

Which account should be utilized as the Emergency Local Account for both Prism Element and the CVM?

- A. Administrator
- B. root
- C. admin
- D. nutanix

Correct Answer: D

QUESTION 5

A VM user permanently deletes a directory on a guest VM. The Nutanix administrator has enabled Self-Services for this VM.

Which three steps must the administrator perform to restore the directory? (Choose Three)

- A. Create a clone of the VM from a previous snapshot and replace the original VM
- B. Connect to the cloned VM and copy the directory to the source VM
- C. Copy the directory from the snapshot disk to the original VM disk
- D. Launch the Nutanix SSR utility on the VM
- E. Select and mount the snapshot that contains the deleted directory

Correct Answer: CDE

[NCP-5.15 VCE Dumps](#)

[NCP-5.15 Practice Test](#)

[NCP-5.15 Study Guide](#)