



# NCP-MCI-5.20<sup>Q&As</sup>

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

## Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncp-mci-5-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

In a managed network, in which scenario will AHV use the last network IP address for the DHCP server?

- A. When setting a static IP address
- B. When not selecting Override DHCP server
- C. When changing the CIDR range
- D. When deleting the DHCP network

Correct Answer: D

---

### QUESTION 2

A node in an otherwise healthy RF2 cluster fails and the administrator receives an alert about it. Which statement is true in this situation?

- A. An administrator needs to log in and initiate manual data replication.
- B. An automatic curator scan has been initiated to replicate the unavailable data.
- C. The data resiliency tile in Prism Element shows Warning status.
- D. Access to all storage has been lost and VMs are not accessible anymore.

Correct Answer: B

---

### QUESTION 3

An administrator adds a node with older generation processors to an existing AHV cluster with newer generation processors. What is the effect on live migration?

- A. Live migration continues to function as expected and VMs can move to any AHV host.
- B. Live migration is prevented until the administrator enables the legacy migration option.
- C. Live migration is prevented until the administrator manually changes the newer processor level.
- D. Live migration of VMs is prevented between newer and older processors.

Correct Answer: D

---



#### QUESTION 4

What is the default network bond setting for an AHV host configuration?

- A. active-backup
- B. active-active
- C. balance-slb
- D. balance-tcp

Correct Answer: A

Explanation: <https://next.nutanix.com/blog-40/network-load-balancing-with-acropolis-hypervisor-6463>

---

#### QUESTION 5

What is the expected operation during node addition when the new node has a different AOS version?

- A. The entire cluster is upgraded to the latest one-click release.
- B. The node is added and a separate upgrade operation must be performed.
- C. The addition fails and forces the administrator to image using standalone Foundation.
- D. The node is automatically re-imaged using the software currently running in the cluster.

Correct Answer: C

[NCP-MCI-5.20 Practice Test](#) [NCP-MCI-5.20 Study Guide](#)

[NCP-MCI-5.20 Exam Questions](#)