



# NCP-MCI-5.20<sup>Q&As</sup>

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

## Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncp-mci-5-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

On nutanix cluster in which distribution is open ldap authentication management system?

- A. Red Hat
- B. Ubuntu
- C. Suse
- D. CentOS

Correct Answer: D

Explanation: ?OpenLDAP: OpenLDAP is a free, open source directory service, which uses the Lightweight Directory Access Protocol (LDAP). developed by the OpenLDAP project. Nutanix currently supports the OpenLDAP 2.4 release running on CentOS distributions only.

---

### QUESTION 2

What should be validated as part of the customer's troubleshooting process?

- A. The VLAN has been configured to use the proper bridge.
- B. The VLAN has the proper gateway configured in the network settings in Prism.
- C. The VLAN is unique to the Nutanix cluster, and not in use elsewhere in the network.
- D. The VLAN is configured on the trunk of the upstream switch.

Correct Answer: B

---

### QUESTION 3

An administrator wants to secure an application running on an AHV cluster by limiting incoming and outgoing traffic destinations. The administrator creates a security policy for the application. What is the next step?

- A. Apply the Security Policy
- B. Create an isolation policy
- C. Add the Security policy to an existing isolation policy
- D. Restart the VM hosting application

Correct Answer: A

---



#### QUESTION 4

Which two items are required to manually upload an AOS update to a Nutanix Cluster? (Choose two)

- A. YML file
- B. JSON file
- C. AOS Binary
- D. AOS zip file
- E. AFS Binary file

Correct Answer: BC

---

#### QUESTION 5

An administrator has configured an Active-Active policy on the br0 uplink of an AHV host. The host is experiencing connectivity issues. What step should be taken?

- A. Remove any 1GB NICs from br0
- B. Upgrade to AOS 5.11
- C. Set the host to Compute-Only
- D. Configure the top-of-rack switches for LAG and LACP

Correct Answer: D

[NCP-MCI-5.20 PDF Dumps](#) [NCP-MCI-5.20 Practice Test](#) [NCP-MCI-5.20 Braindumps](#)