



NCS_20022101010^{Q&As}

NCSS 2G RA OaM 2.2

Pass Nokia NCS_20022101010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/ncs_20022101010.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In the procedure for a mobile terminated call, the paging procedure is initiated in?

- A. The target cell.
- B. The target BSC.
- C. The location area.
- D. The serving MSC.

Correct Answer: D

QUESTION 2

For configuration of cell broadcast messages, which server should be used?

- A. SMSC.
- B. Cell tick.
- C. Standalone BSC server.
- D. NetAct Server.

Correct Answer: B

QUESTION 3

How many Erlangs of Traffic can a RG30 mcBSC support with 1 Cabinet?

- A. 26400.
- B. 4400.
- C. 20000.
- D. 34816.

Correct Answer: A

QUESTION 4

Which program block is responsible for hardware alarm collection in BSC?

- A. EALSMU.
- B. ALARMP.



C. HWALCO.

D. DPALAR.

Correct Answer: C

QUESTION 5

What is the maximum number of PCU2_E cards that can be added in one BCSU in Flexi BSC?

A. 5

B. 3

C. 2

D. 1

Correct Answer: A

[NCS_20022101010 PDF Dumps](#)

[NCS_20022101010 Practice Test](#)

[NCS_20022101010 Braindumps](#)