



NCS_20022101010^{Q&As}

NCSS 2G RA OaM 2.2

Pass Nokia NCS_20022101010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/ncs_20022101010.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The Nokia Liquid Radio software suite is applicable for:

- A. LTE and WCDMA.
- B. HSPA and HSPA+.
- C. Only for legacy GSM EDGE technology.
- D. The Nokia Liquid Radio software suite is totally technology independent as it is operated via NetAct8 only.

Correct Answer: C

QUESTION 2

What stack is used for monitoring DAP channels in Dynamic Abis in M5 Nethawk?

- A. DAP 16 Kbps.
- B. Nokia Abis GPRS.
- C. PCU 16 Kbps.
- D. Nokia Abis Signaling.

Correct Answer: B

QUESTION 3

During Commissioning phase, EMB test is performed using extension:

- A. ZSMTAC.
- B. EBSSTR.
- C. EBSTER.
- D. ZEMBER.

Correct Answer: C

QUESTION 4

Which procedure does PDP context activation belong to?

- A. GPRS Mobility Management.
- B. GPRS Session Control.



C. Session Management.

D. Register Management.

Correct Answer: C

QUESTION 5

EDGE can be used to increase the data rates of GPRS to?

A. 21,4 kbit/s per TSL.

B. 42,8 kbit/s per TSL.

C. 57,6 kbit/s per TSL.

D. 69,2 kbit/s per TSL.

Correct Answer: D

[Latest NCS_20022101010 Dumps](#)

[NCS_20022101010 VCE Dumps](#)

[NCS_20022101010 Practice Test](#)