



# NCS\_20022101010<sup>Q&As</sup>

NCSS 2G RA OaM 2.2

## Pass Nokia NCS\_20022101010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/ncs\\_20022101010.html](https://www.passapply.com/ncs_20022101010.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

The Feature Dynamic PCU Pooling is used with which type of PCUs?

- A. Packet Abis PCU only
- B. Legacy Abis PCU only
- C. Both Packet Abis PCU and Legacy Abis PCU
- D. Either Packet Abis or Legacy Abis PCU

Correct Answer: A

---

#### QUESTION 2

What does FER stand for?

- A. Frame Error Rate
- B. Frame Equity Rate
- C. Frame Erasure Rate
- D. Frame Earlang Rate

Correct Answer: C

---

#### QUESTION 3

Nokia is offering for Radio Access Technology, Remote SW Upgrade Services via RAS Server. Which is the Nokia preferred and cost efficient delivery channel for this service offering?

- A. GSD.
- B. NI.
- C. Roll Out Support via Partners on Site.
- D. All Nokia Lines of Businesses.

Correct Answer: A

---

#### QUESTION 4

After a subsequent inter-MSC handover (from MSCa to MSCb, then to MSCc) in case of PSTN originated mobile terminated call, the new traffic connection is?

- A. PSTN-GMSC-MSCa-MSCb-MSCc.



- B. PSTN-GMSC-MSCa-MSCc.
- C. PSTN-GMSC-MSCb-MSCc.
- D. PSTN-GMSC-MSCc.

Correct Answer: B

---

#### QUESTION 5

The RG30 EP1 feature RG301936: Intelligent MCPA TRX shutdown is:

- A. An enhancement of the "BSS20984: 2G TRX Automatic Power Down" feature and allows the operator to save power without any license key.
- B. The "Intelligent MCPA TRX shutdown" feature allows the operator to improve channel spectrum efficiency by shutdown of the TRX transmitters.
- C. The feature "RG301936: Intelligent MCPA TRX shutdown" has positive impact on RF system performance.
- D. RG301936 Intelligent MCPA TRX shutdown feature is used to consider Flexi MR BTS related TRX association with PAs on top of the BSS20984 designed to work only with Flexi EDGE Dual TRXs (DTRXs).

Correct Answer: D

[NCS\\_20022101010 Practice Test](#)

[NCS\\_20022101010 Study Guide](#)

[NCS\\_20022101010 Braindumps](#)