



# NCSE-CORE<sup>Q&As</sup>

Nutanix Certified Systems Engineer Core

## Pass Nutanix NCSE-CORE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncse-core.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An SE is working with a financial institution prospect on a VDI environment refresh. The institution currently has 5000 named VDI users, with a peak of 2800 concurrent users.

How many VDI VMs does the SE need to size for, factoring in an additional 10% for growth?

- A. 2880
- B. 3080
- C. 5000
- D. 5500

Correct Answer: B

---

### QUESTION 2

An administrator is managing a highly active SQL workload that is writing I/Os in 2 MB chunks to a vDisk. The administrator wants to optimize capacity setting for the computer.

Which storage optimization technology should the administration select to meet these requirement?

- A. Erasure Coding
- B. Compression
- C. Capacity Deduplication
- D. Cache Deduplication

Correct Answer: B

---

### QUESTION 3

During a sales motion with a new prospect, the prospect asks to do a POC so they can experience Nutanix in their environment.

What is the most important item the SE must have in place with the prospect before moving forward with a POC?

- A. Start date of the POC
- B. Defined and measurable success criteria
- C. Meeting frequency
- D. Number of Nodes/Block to be used during the POC

Correct Answer: B

---



#### QUESTION 4

A prospect wants to target Nutanix as infrastructure for running VMs built as part of their new Continuous Integration and Delivery (CICD) pipeline. Hundreds of builds will occur per day across their development organization.

Which two items should the SE identify to begin sizing the Nutanix deployment? (Choose two.)

- A. The configuration manager that the customer will use with the application builds
- B. The frequency and lifespan of each application build
- C. The build manager that the company will use for the builds
- D. The configuration/specs of the VMs within each application build

Correct Answer: AD

---

#### QUESTION 5

A prospect that is currently virtualized using Dell servers is willing to provide a Live Optics report to assist with sizing a partial infrastructure refresh with Nutanix.

Which two items from an approach for sampling accurate sizing data with Live Optics? (Choose one)

- A. 24-hour windows during a period of peak utilization
- B. 12-hour windows during any period
- C. 24-hour windows during any period
- D. 12-hour windows during a period of peak utilization

Correct Answer: C