



# NCSE-CORE<sup>Q&As</sup>

Nutanix Certified Systems Engineer Core

## Pass Nutanix NCSE-CORE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ncse-core.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

Which function does the Curator service perform?

- A. Schedules snapshots
- B. Start and stops other cluster services
- C. Stores cluster configuration
- D. Distributes storage optimization tasks

Correct Answer: D

## QUESTION 2

Refer to Exhibit.



A systems engineer is creating a configuration in Sizer for a customer that is building an app for use as an ebooks repository. The app requires the following two workloads: 1. 50 generic web server VMs, each with 2 vCPUs on a 4:1 vCPU ratio, 8 GB of RAM, and 100GB of storage each. 2. A fileserver workload with 80TB of usable storage available, which contains mostly PDFs and pre-compressed data. Any reduction in performance of the web servers must be avoided. After entering the workload with default options, the Sizer outputs the configuration shown in the exhibit. Which adjustment does the systems engineer need to make to the scenario to meet the performance requirements?

- A. Switch to manual and change the CPUs of the node configuration to a dual 10 core model
- B. Switch to manual sizing and increase the RAM of the node configuration to 384 GB
- C. Increase the vCPU:CPU ratio of the Webserver workload to 6:1
- D. Increase the RAM of the web server workload to 10 GB per VM.

Correct Answer: D



### QUESTION 3

CPU utilization climbs above 90% on several VMs. This causes performance degradation for a business-critical application.

How can alerts be configured to notify the administrator before VM CPU utilization hits 90%?

- A. On a CVM, use ncli to set the VM CPU Check threshold for the critical VMs to a value below 90%.
- B. On the Health dashboard, locate the VM CPU Check and lower the alert threshold below 90%.
- C. On a CVM, configure a cron job to run the VM CPU Check more frequently and email the result.
- D. On the Alerts dashboard, ensure that the VM CPU usage alert is not set to auto-resolve.

Correct Answer: B

Reference: [https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prismv5\\_16:Web-Console-Guide-Prism-v5\\_16](https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prismv5_16:Web-Console-Guide-Prism-v5_16)

---

### QUESTION 4

When Discussing node failures. a customer raises the concern that if a node that host 100TB of data goes offline. building data must take an extended period of time

- A. Use of redundant hypervisor boot-drives
- B. Support for all-flash or NVMe platforms
- C. Leveraging a replication-factor of 3
- D. Distribution of rebuild tasks across all nodes

Correct Answer: D

---

### QUESTION 5

With in RVtools output, which tab provides actual utilization information on thick provisioned disk?

- A. vInfo
- B. vPartition
- C. vCenter
- D. vDisk

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/ncse-core.html>

2024 Latest passapply NCSE-CORE PDF and VCE dumps Download

---

[Latest NCSE-CORE Dumps](#)

[NCSE-CORE VCE Dumps](#)

[NCSE-CORE Exam  
Questions](#)