



NS0-157^{Q&As}

NetApp Certified Data Administrator, Clustered Data ONTAP

Pass NetApp NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-157.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Node cl-02 needs to fail over for scheduled maintenance. The node has NAS LIFs on it. The failover needs to be non-disruptive to the NAS clients.

Which command accomplishes this task?

- A. `system node halt -ofnode cl - 02 -inhibit true`
- B. `system node reboot -ofnode cl - 02 -inhibit-takeover true`
- C. `storage failover takeover -ofnode cl - 02 -bypass -optimization true`
- D. `storage failover takeover -ofnode cl - 02`

Correct Answer: C

The aggregate relocation can be avoided during this takeover instance by using the `bypassoptimization` parameter with the `storage failover takeover` command. To bypass aggregate relocation during all future planned takeovers, set the `bypassstakeoveroptimization` parameter of the `storage failover modify` command to `true`.

Reference: <http://www-01.ibm.com/support/docview.wss?uid=ssg1S7004761andaid=1>

QUESTION 2

You create an SVM named `svm7`. Its DNS name is `ntap7`. In `svm7`, you create a volume named `vol1` with a junction path of `/users`.

An NFS client would mount the root of `vol1` using which path?

- A. `svm7:/users`
- B. `ntap7:/users`
- C. `ntap7:/vol1`
- D. `svm7:/vol1`

Correct Answer: A

QUESTION 3

A clustered Data ONTAP 8.2 Infinite Volume can share an aggregate with an FlexVol volume.

- A. True
- B. False

Correct Answer: A



QUESTION 4

What communication link is necessary in order to establish an inter-cluster relationship?

- A. The cluster interface on each node must be able to communicate with the intercluster interface on each node in the both the source and destination clusters
- B. The cluster interface on the source cluster must be able to communicate with the cluster interface on the destination cluster
- C. The intercluster interface on the source cluster must be able to communicate with the intercluster interface on the destination cluster
- D. The intercluster interface on the source cluster must be able to communicate with the cluster interface on the destination cluster

Correct Answer: C

https://library.netapp.com/ecm/ecm_download_file/ECMP1197114

QUESTION 5

In clustered Data ONTAP 8.2, which of the following commands will restore an entire volume

- A. volume snapshot promote
- B. volume snapshot restore
- C. volume snapshot resync
- D. None of the above, just use the .snapshot or ~snapshot directory to restore the entire volume

Correct Answer: B

[NS0-157 PDF Dumps](#)

[NS0-157 Study Guide](#)

[NS0-157 Braindumps](#)