

NS0-159^{Q&As}

NetApp Certified Data Administrator, ONTAP

Pass NetApp NS0-159 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/ns0-159.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 🔅 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

On an All Flash FAS, where is the root parity information located on a node using Advanced Disk Partitioning?

- A. on a single SSD drive, regardless of RAID type
- B. on a single SSD partition
- C. distributed among SSD partitions
- D. on two SSD drives, regardless of RAID type

Correct Answer: D

QUESTION 2

You are configuring replication between two NetApp clusters. You want to configure disaster recovery and vaulting on the same destination volume.

- In this scenario, which SnapMirror relationship type and SnapMirror policy type should be used?
- A. a relationship type XDP and a policy type vault
- B. a relationship type XDP and a policy mirror-vault
- C. a relationship type DP and a policy vault
- D. a relationship type DP and a policy type mirror-vault

Correct Answer: A

QUESTION 3

Click the Exhibit button.



| alphana1: | :qos> qos poli | cy-group show | | |
|-----------|----------------|---------------|-------|------------|
| Name | Vserver | Class | Wklds | Throughput |
| | | | | |
| BronzeQoS | alphasan1 | user-defined | 2 | 0-50MB/s |
| BronzeQoS | lab-fs1 | user-defined | 4 | 0-1000IOPS |
| 2 entries | were displaye | d. | | |

alphana1::qos> vol show -fields vserver,volume,qos-policy-group
vserver volume qos-policy-group
alphana1-01 vol0 alphana1-02 vol0 -

| appliantar or | VOTO | |
|---------------|----------------|-----------|
| alphasan1 | alphasan1 | BronzeQoS |
| alphasan1 | labesx boot | - |
| alphasan1 | labrvm boot | - |
| alphasan1 | labxen boot | - |
| alphasan1 | sql_cls | BronzeQoS |
| lab-fs1 | lab fsl root | - |
| lab-fs1 | shares0 | BronzeQoS |
| lab-fs1 | images0 | BronzeQoS |
| lab-tsl | iso images | BronzeQoS |
| lab-fs1 | home dirs | BronzeQoS |
| 12 entries we | ere displayed. | |

Referring to the exhibit, what is the throughput limit for the shares0 volume?

A. 250 IOPS

B. 25 MB/s

C. 50 MB/s

D. 1000 IOPS

Correct Answer: D

QUESTION 4

What are three advantages of configuring network subnets? (Choose three.)

- A. The default gateway is automatically added to the SVM.
- B. The DNS zone is automatically set on the NAS LIF.
- C. The subnet mask is automatically set on the NAS LIF.
- D. The flow control is automatically set on the port.
- E. The IP address is automatically set on the NAS LIF.



Correct Answer: ABE

QUESTION 5

You create a quality of service (QoS) policy group called untest_apps with a maximum throughput of 300 MBps. You add one volume to the policy group, and then you add a second volume to the policy group.

In this scenario, which statement is true?

- A. The maximum throughput of each volume is 600 MBps.
- B. The combined maximum throughput of both volumes is 600 MBps.
- C. The maximum throughput of each volume is 150 MBps.
- D. The combined maximum throughput of both volumes is 300 MBps.

Correct Answer: B

NS0-159 PDF Dumps

NS0-159 Practice Test

NS0-159 Study Guide