



NS0-161^{Q&As}

NetApp Certified Data Administrator, ONTAP

Pass NetApp NS0-161 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-161.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Node A has taken over Node B. You solved the issue that caused the takeover and are now ready to resume normal operation.

After initiating the storage failover giveback command, how are the aggregates given back? (Choose the best answer.)

- A. CFO aggregates are automatically given back, SFO aggregates must be manually given back.
- B. CFO aggregates and SFO aggregates are automatically given back.
- C. The root aggregate is automatically given back, CFO and SFO aggregates must be manually given back.
- D. SFO aggregates are automatically given back, CFO aggregates must be manually given back.

Correct Answer: B

Reference: https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-cmpr-960%2Fstorage__failover__giveback.html

QUESTION 2

Your company requires that all data must be encrypted in flight to prevent data from falling into the wrong hands.

What are two ways to accomplish this task? (Choose two.)

- A. Ensure that SnapMirror compression is enabled in all SnapMirror relationships.
- B. Modify your cluster peering relationships to support cluster peering encryption.
- C. Enable Multi-Factor Authentication (MFA) for your SnapMirror relationships.
- D. Ensure that all intercluster replication traffic is done through a VPN tunnel.

Correct Answer: BC

QUESTION 3

Click the Exhibit button.



FC Ports

Node	2a	2b	2c	2d
A800_1	32 Gb/s	32 Gb/s	32 Gb/s	32 Gb/s
WWPN	50:0a:09:81:80:71:50:b2	50:0a:09:82:80:71:50:b2	50:0a:09:83:80:71:50:b2	50:0a:09:84:80:71:50:b2
Network Interface	6	2	1	0
Data Link Rate	32 Gb/s	32 Gb/s	32 Gb/s	32 Gb/s
Port Address	a0000	a0100	a0200	a0300
Protocol	FC, NVMe	FC, NVMe	FC, NVMe	FC, NVMe

A customer has an issue with performance on an NVMe solution. The SVM is using all four ports shown in the exhibit.

In this scenario, how would the customer improve the host performance? (Choose the best answer.)

- A. Change the SFP+ in the controllers from 32 Gbps to 64 Gbps.
- B. Move all of the network interfaces to port 2a.
- C. Move some of the network interfaces from 2a to 2c and 2d.
- D. Remove support of the FC protocol and only use NVMe.

Correct Answer: A

QUESTION 4

Which two SVM types does a cluster contain after cluster creation? (Choose two.)

- A. dp-destination
- B. peer
- C. data
- D. admin

Correct Answer: CD

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-sag%2FGUIDD860985F-11BF-4589-9457-E0FD03130B1F.html>

QUESTION 5

You are the administrator of your company's ONTAP 9.7 storage system. Your system hosted CIFS shares in your Active Directory environment for several years without any problems. Suddenly users report to you that they can no



longer access their CIFS shares.

What is the reason for this problem? (Choose the best answer.)

- A. The CIFS standard license expired.
- B. The user account used to join your SMB server to your Active Directory expired.
- C. The WINS servers are unreachable.
- D. The NTP servers are unreachable.

Correct Answer: D

[Latest NS0-161 Dumps](#)

[NS0-161 Study Guide](#)

[NS0-161 Braindumps](#)