

# NS0-173<sup>Q&As</sup>

Cisco and NetApp FlexPod Design Specialist

# Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/ns0-173.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.passapply.com/ns0-173.html 2024 Latest passapply NS0-173 PDF and VCE dumps Download

#### **QUESTION 1**

You are a data center architect at a service provider. You need to configure a new multi-tenant FlexPod service offering.

Which three UCS Manager features will you need to accomplish this task? (Choose three.)

- A. auto discovery
- B. role-based access control
- C. service profiles
- D. virtualization support
- E. policies

Correct Answer: BCE

#### **QUESTION 2**

Which two NetApp storage controllers would be used in a valid FlexPod Datacenter configuration? (Choose two.)

- A. NetApp FAS2700
- B. NetApp AFF A700
- C. NetApp E2800
- D. NetApp EF570

Correct Answer: AB

Reference: https://www.netapp.com/media/12424-tr4036.pdf

# **QUESTION 3**

A customer is designing a FlexPod solution to use both NFS and iSCSI for connectivity, including traditional FC for legacy applications. The Cisco UCS Fabric Interconnects will be connected to both Nexus 9000 Series switches and FC switches.


Which UCS capability allows you to accomplish this task?

- A. FC uplink ports
- B. VSANs
- C. unified ports
- D. SAN pin groups

Correct Answer: C

### **QUESTION 4**

Click the Exhibit button.



The total number of servers that a Cisco UCS Mini chassis supports is set to a maximum of how many hosts as shown in the exhibit?

A. 22

B. 12

C. 20

D. 8

Correct Answer: D

## **QUESTION 5**



# https://www.passapply.com/ns0-173.html

2024 Latest passapply NS0-173 PDF and VCE dumps Download

A customer is planning to use a pair of MDS switches in a FlexPod design to host a few SAN workloads.

In this scenario, which two features should be enabled on the MDS switches for a successful configuration? (Choose two.)

A. NPIV

B. NPV

C. port-channel-trunk

D. fport-channel-trunk

Correct Answer: AC

NS0-173 VCE Dumps

**NS0-173 Practice Test** 

NS0-173 Braindumps