



NS0-173^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-173.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

When FCoE is configured in a FlexPod environment, which step is required?

- A. Assign a VLAN to the FC Uplink port on the Cisco Fabric Interconnects.
- B. Create a VSAN within service profiles.
- C. Create a VSAN to support FCoE for the FC uplink.
- D. Assign a VSAN to the server uplink port on the Cisco Fabric Interconnects.

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_esxi65u1_n9fc.html#_Toc24048288

QUESTION 2

A customer has deployed a FlexPod Datacenter with Red Hat Enterprise Linux OpenStack Platform. The Cinder storage volumes that are attached to the Nova instances are not available.

Based on the terms of the cooperative support model, which three companies would the customer use to open a support case? (Choose three.)


- A. Cisco
- B. VMware
- C. Microsoft
- D. NetApp
- E. Red Hat

Correct Answer: ADE

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_openstack_osp6_design.html

QUESTION 3

Click the Exhibit button.



A customer wants to ensure that FlexPod Datacenter connections to the storage layer are highly available. Which two configurations shown in the exhibit satisfy the customer's requirements? (Choose two.)

- A. I.
- B. II.
- C. III.
- D. IV

Correct Answer: CD

QUESTION 4

A customer is planning to use a pair of MDS switches in a FlexPod design to host a few SAN workloads.

In this scenario, which two features should be enabled on the MDS switches for a successful configuration? (Choose two.)

- A. NPV
- B. NPV
- C. port-channel-trunk
- D. fport-channel-trunk

Correct Answer: AC

QUESTION 5



Which command would a FlexPod administrator use to determine whether an FC initiator has logged on to the fabric?

- A. MDS9148>show fcfwd
- B. MDS9148>show fcdomain
- C. MDS9148>show fcc
- D. MDS9148>show flogi database

Correct Answer: D

Reference: <https://www.ciscolive.com/c/dam/r/ciscolive/us/docs/2017/pdf/BRKDCN-1121.pdf>

[Latest NS0-173 Dumps](#)

[NS0-173 Study Guide](#)

[NS0-173 Braindumps](#)