



# NS0-173<sup>Q&As</sup>

Cisco and NetApp FlexPod Design Specialist

## Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-173.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Click the Exhibit button.



The total number of servers that a Cisco UCS Mini chassis supports is set to a maximum of how many hosts as shown in the exhibit?

- A. 22
- B. 12
- C. 20
- D. 8

Correct Answer: D

### QUESTION 2

A FlexPod solution has been configured for iSCSI SAN boot with multiple paths between the server and the storage.



In this scenario, how many initiators (IQNs) per server will need to be added in the corresponding igroup in ONTAP?

- A. three
- B. one
- C. four
- D. two

Correct Answer: C

The initiator group REST API allows you to create, update, delete, and discover initiator groups, and add and remove initiators that can access the target and associated LUNs. Reference:  
<https://library.netapp.com/ecmdocs/ECMLP2858435/html/resources/igroup.html>

---

### QUESTION 3

You are configuring a FlexPod system for NAS protocols. You want to ensure that there are multiple paths between the initiators and targets in the solution.

Which two steps will accomplish this task? (Choose two.)

- A. Allow the VLANs over the vPC peer link.
- B. Configure the VLANs in Cisco UCS Manager as Common/Global.
- C. Disable LACP.
- D. Configure the VSANs in the Cisco Nexus 5000 switches.

Correct Answer: BC

---

### QUESTION 4

A customer is planning to use a pair of MDS switches in a FlexPod design to host a few SAN workloads.

In this scenario, which two features should be enabled on the MDS switches for a successful configuration? (Choose two.)

- A. NPIV
- B. NPV
- C. port-channel-trunk
- D. fport-channel-trunk

Correct Answer: AC

---

### QUESTION 5



A customer has deployed a FlexPod Datacenter with Red Hat Enterprise Linux OpenStack Platform. The Cinder storage volumes that are attached to the Nova instances are not available.

Based on the terms of the cooperative support model, which three companies would the customer use to open a support case? (Choose three.)

- A. Cisco
- B. VMware
- C. Microsoft
- D. NetApp
- E. Red Hat

Correct Answer: ADE

Reference: [https://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/UCS\\_CVDs/flexpod\\_openstack\\_osp6\\_design.html](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_openstack_osp6_design.html)

[Latest NS0-173 Dumps](#)

[NS0-173 PDF Dumps](#)

[NS0-173 Study Guide](#)