



NS0-181^{Q&As}

NetApp Certified Storage Installation Engineer - ONTAP 9.1

Pass NetApp NS0-181 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-181.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You must replace a FAS2750 switchless cluster with an AFF A220 switchless cluster for a customer. The customer requires that you transfer the data from the FAS2750 cluster to the AFF A220. In this scenario, which two methods would you use to migrate the customer's data? (Choose two.)

- A. Establish an SVM-DR relationship between the two clusters and activate the destination SVM.
- B. Remove all of the HDD drives from the FAS cluster and install them into the AFF cluster.
- C. Install SAS cables between the two clusters and use the vol move command.
- D. Provide cluster switches and build a 4-node cluster, then use the vol move command.

Correct Answer: CD

QUESTION 2

You want to verify that connections are cables correctly and that shelf IDs are unique within an HA pair. Which tool would be used to accomplish these tasks?

- A. System Diagnostics
- B. Cloud Insights
- C. Active IQ Config Advisor
- D. Active IQ Unified Manager

Correct Answer: A

QUESTION 3

You completed an ONTAP cluster deployment as a reseller engineer. During the knowledge transfer process to the customer, they ask for proof that the array has correct multi-path HA cabling deployed and that the array is error free. Which documentation output would you present to the customer to satisfy this requirement?

- A. Active IQ Unified Manager output
- B. NetAppDocs output
- C. Config Advisor output
- D. Active IQ OneCollect output

Correct Answer: C

Reference: <https://docs.netapp.com/platstor/topic/com.netapp.doc.hw-controller-add/GUID-64A51339-1F03-451C-B062-9F97E772817E.html>



QUESTION 4

You have installed a new 2-node FAS9000 cluster with two external shelves. You want to make sure that each node has two paths to each disk in the shelves. How do you verify your configuration?

- A. Use the storage show disk -p command.
- B. Use the storage disk option show command.
- C. Use the disk show -fields initiator command.
- D. Use the sysconfig command.

Correct Answer: C

QUESTION 5

Click the Exhibit button.

```
Mar 18, 2020 07:35:35 CDT HA Group Notification (CLUSTER NETWORK DEGRADED) ALERT
```

```
Mar 19, 2020 22:04:20 CDT HA Group Notification (Health Monitor process cshm:  
SwitchIfInErrorsWarn_Alert[NODE_NAME-sw1(SWITCH_SERIAL_NUMBER)/Ethernet1/8]) ALERT
```

```
Mar 12, 2020 20:58:38 CDT HA Group Notification (Health Monitor process cshm:  
SwitchIfInErrorsWarn_Alert[NODE_NAME-sw1(SWITCH_SERIAL_NUMBER)/Ethernet1/8]) ALERT
```

Your ONTAP cluster shows the cluster network errors that are shown in the event log. What is used by ONTAP software to log the errors that are shown in the exhibit?

- A. SNMP
- B. AutoSupport
- C. BGP
- D. EMS

Correct Answer: D

[NS0-181 PDF Dumps](#)

[NS0-181 Practice Test](#)

[NS0-181 Braindumps](#)