



NS0-181^{Q&As}

NetApp Certified Storage Installation Engineer - ONTAP 9.1

Pass NetApp NS0-181 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-181.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You want to ensure the highest path resilience and performance increase to the storage stack on your FAS8700 cluster. In this scenario, which two types of stack cabling are available to use? (Choose two.)

- A. quadpath HA
- B. mixed-mode
- C. single path
- D. multipath HA

Correct Answer: BD

Reference: <https://www.cisco.com/c/en/us/products/collateral/switches/catalyst-9300-series-switches/white-paper-c11-741468.html>

QUESTION 2

You need to install a cluster with a FAS2720 HA pair and a FAS8300 HA pair.

Which NetApp tool will verify which cluster interconnect switches support this configuration?

- A. Active IQ Config Advisor
- B. Interoperability Matrix Tool (IMT)
- C. Hardware Universe (HWU)
- D. mysupport.netapp.com site

Correct Answer: C

Reference: <https://www.netapp.com/media/12424-tr4036.pdf>

QUESTION 3

You are installing a 4-node AFF A400 cluster and are asked to create a custom security message before and after user login. Which two security features are used to perform this task? (Choose two.)

- A. EMS
- B. banner
- C. motd
- D. AutoSupport

Correct Answer: BD



QUESTION 4

What is the default shelf ID for disk shelves with IOM12 modules?


- A. 12
- B. 01
- C. 10
- D. 00

Correct Answer: D

Reference: <https://docs.netapp.com/platstor/index.jsp?topic=%2Fcom.netapp.doc.hw-ds-sas3-icg%2FGUID-F6882D15-2C68-40FC-AAA7-06B227B92377.html>

QUESTION 5

Click the Exhibit button.



You plan to install a new ONTAP cluster at a customer site by using the new ONTAP System Manager 9.7 GUI. Referring to the exhibit, what must you do before you provision initial storage?

- A. Configure cluster LIFs.
- B. Configure protocols.
- C. Configure a remote tier.
- D. Configure aggregates.

Correct Answer: D

[Latest NS0-181 Dumps](#)

[NS0-181 VCE Dumps](#)

[NS0-181 Braindumps](#)