



NS0-182^{Q&As}

NetApp Certified Storage Installation Engineer, ONTAP

Pass NetApp NS0-182 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-182.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two configurations use root-data-data partitioning? (Choose two.)

- A. FAS8080 with 1.8 TB external SAS drives
- B. AFF A800 with 3.8 TB internal NVMe SSD drives
- C. FAS2650 with 1.8 TB internal SAS drives
- D. AFF A220 with 3.8 TB internal SSD drives

Correct Answer: AB

QUESTION 2

```
cluster::> system node autosupport history show -node node1
```

Node	Seq Num	Destination	Status	Attempt Count
node1	1	smtp	re-queued	13
		http	ignored	15
		https	failed	15

You configured AutoSupport and are trying to send a full AutoSupport message to NetApp. You use the autosupport history show command and see the output shown in the exhibit. The customer confirms that the AutoSupport settings are correct.

Which two actions will solve this issue? (Choose two.)

- A. The customer needs to enable AutoSupport for both nodes.
- B. The customer needs to exclude the two nodes from the attachment-size limitation.
- C. The customer needs to change the transport protocol to HTTP.
- D. The customer needs to white-list the two nodes on their mail server.

Correct Answer: AC

QUESTION 3

You are using a NetApp CN1610 cluster-interconnect switch and need to connect a new AFF A800A node to the



switch.

In this scenario, how many Ethernet ports per node are required on each switch?

- A. 2
- B. 4
- C. 6
- D. 1

Correct Answer: B

QUESTION 4

When planning the installation of a new ONTAP 9.5 cluster for a customer, which three steps should you perform? (Choose three.)

- A. Complete a Service Event Report.
- B. Use Config Builder to create a configuration spreadsheet.
- C. Review the hardware components in Hardware Universe.
- D. Open a support case to prepare for the installation.
- E. Search for Technical Support bulletins for the hardware.

Correct Answer: ABC

QUESTION 5

Which hot-swappable transceiver is required to obtain full performance from a Cisco Nexus 3232C cluster-interconnect switch?

- A. QSFP28
- B. QSFP+
- C. SFP+
- D. SFP

Correct Answer: A