



# NS0-182<sup>Q&As</sup>

NetApp Certified Storage Installation Engineer, ONTAP

## Pass NetApp NS0-182 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-182.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

While preparing for a new ONTAP installation, you discover an issue with the controllers that are running ONTAP 9.5. The issue is not affecting controllers that are running ONTAP 9.4 with the latest patch version.

In this scenario, which two steps should you perform to solve the problem? (Choose two.)

- A. Review the issue with the customer's deployment to see if it would be affected.
- B. Inform your customer that they must always install the latest supported ONTAP release.
- C. If the controllers are in a Product Support Bulletin with ONTAP 9.5, open a case and wait for support to provide a patch release.
- D. Download ONTAP 9.4 with the latest patch version and ONTAP 9.5 for an eventual rollback on the day of the installation.

Correct Answer: CD

---

### QUESTION 2

You have to disable a switch that is connected to a port on your FAS2750. You notice that the LIFs that are associated with this port are migrated to a port that is not expected.

In this scenario, what would cause this behavior?

- A. The network port is configured incorrectly.
- B. The broadcast domain is configured incorrectly.
- C. There are no online ports within the same failover group.
- D. The network failover port is not licensed.

Correct Answer: C

---

### QUESTION 3

A customer wants to reduce the disk allocation requirement for the root aggregate and increase usable storage by partitioning the disks into one large part and one small part. The small part is used for the root aggregate and the large part for the data aggregates.

In this situation, what is this feature called?

- A. ONTAP
- B. storage virtual machine
- C. Advanced Drive Partitioning



D. RAID

Correct Answer: C

---

#### QUESTION 4

You have set up a new 2-node switchless cluster and want to verify that the failover is configured correctly. In this scenario, which two commands accomplish this task? (Choose two.)

- A. cluster ha show
- B. storage failover show
- C. cluster ring show
- D. storage failover show-takeover

Correct Answer: AB

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2492713](https://library.netapp.com/ecm/ecm_download_file/ECMLP2492713)

---

#### QUESTION 5

You have just completed the installation of a FAS9000 HA pair with ONTAP 9.5.

In this scenario, according to NetApp best practices, which two tests verify the HA failover functionality? (Choose two.)

- A. Pull the motherboard out of the slot.
- B. Disconnect the HA interconnect cabling.
- C. Power cycle the node.
- D. Invoke a system core.

Correct Answer: CD

[NS0-182 PDF Dumps](#)

[NS0-182 Study Guide](#)

[NS0-182 Exam Questions](#)