



NS0-192^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-192 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-192.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true concerning FlexClone volumes? (Choose two.)

- A. A FlexClone volume can be created in a different aggregate than the parent volume if space is an issue.
- B. A FlexClone volume is created with the same language setting as its parent.
- C. A FlexClone volume is created, any LUNs present in the parent volume are already online and mapped.
- D. A FlexClone volume is a point-in-time, writable copy of the parent FlexVol volume.

Correct Answer: BD

Reference:

<https://library.netapp.com/ecmdocs/ECMP1196986/html/GUID-284A0B23-DE4D-4E97-B333EF4646D2CB1D.html>

QUESTION 2

An A700s system failed to boot. The administrator finds the boot image has been corrupted.

In this scenario, which two actions would be performed to restore the image? (Choose two.)

- A. Copy the image from an external USB drive.
- B. Copy the image from the partner.
- C. Replace the boot device.
- D. Copy the image from a Web server using the netboot procedure.

Correct Answer: AB

QUESTION 3

You order a FAS8200 cluster with 4 TB SATA drives. Before executing the cluster setup command, you notice that ADP is not being used.

In this scenario, which statement is correct?

- A. Halt the nodes and configure ADP at the LOADER-X> prompt.
- B. Complete the cluster setup and use OnCommand System Manager to configure ADP.
- C. While executing the cluster setup command, reconfigure the disks to use ADP.
- D. Halt the nodes, boot to the special boot menu, and configure ADP.

Correct Answer: D



QUESTION 4

You have an ONTAP 9.3 cluster and create a new SnapMirror relationship with a SnapMirror type of DP. You initialize the SnapMirror relationship and verify the incremental updates are operating as expected. However, you notice that the SnapMirror type is XDP instead of the specified DP.

In this scenario, which statement is correct?

- A. All new relationships default to XDP.
- B. DP is not supported in ONTAP 9.3
- C. The SnapMirror policy type was set to MirrorAllSnapshots.
- D. The destination cluster is running an older version of ONTAP.

Correct Answer: C

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-dap%2FGUID9FF688E3-9A37-49A4-8239-EB55409FA2D0.html>

QUESTION 5

Which two statements are true about epsilon in a 4-node cluster? (Choose two.)

- A. Epsilon is used as a tie-breaker for determining a quorum.
- B. Epsilon is automatically assigned to the first node when a cluster is created.
- C. Epsilon is used for determining the up node in failover.
- D. Epsilon is automatically assigned to the last node added to a cluster.

Correct Answer: AB

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-sag%2FGUIDEFE1DEF4-8B87-4C4A-8E4E-C6C79F760710.html>

[Latest NS0-192 Dumps](#)

[NS0-192 Study Guide](#)

[NS0-192 Exam Questions](#)