



NS0-194^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-194.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer receives the message shown below in their EMS logs.

Tue Jun 27 18:34:18 CEST [netapp-ct1: cp_worker: waf1.cp.toolong:error]: Aggregate AG1_NTAP_PROD experienced a long CP. Tue Jun 27 18:37:10 CEST

Which two data sources do you use to explain this message? (Choose two.)

- A. ONTAP System Manager
- B. Performance Archive
- C. Active IQ Unified Manager
- D. mgwd.log

Correct Answer: AB Section: (none)

Reference: https://kb.netapp.com/Advice_and_Troubleshooting/Data_Storage_Software/ONTAP_OS/First_steps_troubleshooting_waf1_exempt10%3A_waf1.cp.toolong%3Aerror

QUESTION 2

You have an ONTAP 2-node cluster. You run a read/write test workload against an SMB share, and it is slower than you expected. You run the same test again, but this time you monitor the storage using a QoS command.

Workload	ID	Latency	Network	Cluster	Data	Disk	QoS	NVRAM
test-wid1234	1234	12.38ms	74.00us	64.00us	135.00us	3.76ms	0ms	8.49ms
test-wid1234	1234	11.92ms	73.00us	73.00us	143.00us	3.07ms	0ms	8.62ms
test-wid1234	1234	12.42ms	73.00us	59.00us	178.00us	3.32ms	0ms	8.89ms

Referring to the exhibit, what is the problem?

- A. There is a disk bottleneck.
- B. An HA interconnect problem is present.
- C. The SMB read sizes should be increased.
- D. The NVRAM needs to be replaced.

Correct Answer: B Section: (none)

QUESTION 3

You are asked to replicate 15 of 20 volumes and the network configuration of your storage virtual machine to your other data center.



In this scenario, which NetApp technology should you use?

- A. SnapMirror Synchronous
- B. SVM DR
- C. MetroCluster
- D. SVM peering

Correct Answer: A Section: (none)

Reference: <https://www.netapp.com/pdf.html?item=/media/19369-tr-4832.pdf>

QUESTION 4

A disaster causes a FlexGroup volume to be unrecoverable, but it was protected by a SnapMirror relationship. You solve the issue, and the source is operational. Now, you want to return to serving the data from the original source.

In this scenario, what do you do next?

- A. Initialize the SnapMirror relationship.
- B. Restore data from a backup copy.
- C. Perform a SnapMirror update.
- D. Delete the SnapMirror relationship.

Correct Answer: A Section: (none)

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-fg-mgmt%2FGUID576192B0-18B8-40D3-AA3E-FC34415DC4F7.html>

QUESTION 5

A customer will need to perform an upgrade from 9.0 to 9.4.

Which feature of ONTAP enables nondisruptive hardware maintenance for this upgrade?

- A. aggregate relocation
- B. FlexVol
- C. FlexGroup
- D. RAID-TEC

Correct Answer: A Section: (none)

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-hacg%2FGUID519510F4-AE00-4859-9706-217553D05FB9.html>



VCE & PDF

PassApply.com

<https://www.passapply.com/ns0-194.html>

2024 Latest passapply NS0-194 PDF and VCE dumps Download

[NS0-194 VCE Dumps](#)

[NS0-194 Study Guide](#)

[NS0-194 Exam Questions](#)