



# NS0-506<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Clustered Data  
ONTAP

**Pass NetApp NS0-506 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-506.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






### QUESTION 1

Click the Exhibit button.

Based on the exhibit, you are configuring a 4-node cluster with an iSCSI LIF on each node. You connect using the first LIF from a Windows Server 2012 host.

How would you add the other three LIFs?

Exhibit:



- A. Use the MCS button.
- B. Use the Devices button.
- C. Use the Add session button.
- D. Wait and then press the Refresh button until the other sessions appear.



Correct Answer: C

---

## QUESTION 2

Exhibit

You currently have the following configuration on your cluster:

```
cl01::>igroup show -instance Vserver Name: svm1 Igroup Name: ig2 Protocol: mixed OS Type: linux Portset Binding  
Igroup: -Igroup UUID: 3fb136c7-cfd6-11df-a9ab-123478563412
```

Initiators:

What must you do to limit the LIFs that are used by an initiator to access a LUN?

- A. Create a portset.
- B. Create an additional igroup.
- C. Change the protocol to iSCSI.
- D. Change the OS type to windows\_gpt.

Correct Answer: A

---

## QUESTION 3

Which protocol allows to access a controller's CLI interface?

- A. SSH
- B. NTP
- C. TFTP
- D. IMAP

Correct Answer: A

---

## QUESTION 4

Exhibit

```
cl01::> net int show -vserver svm1 (network interface show) Logical Status Network Current Current Is Vserver Interface  
Admin/Oper Address/Mask Node Port Home
```

```
svm1 fc_lif1 up/up 20:0b:00:a0:98:4e:ba:14 cl01-01 3a true fc_lif2 up/up 20:0c:00:a0:98:4e:ba:14 cl01-02 3a true lif1  
up/up 172.16.21.31/24 cl01-01 a0a true
```

```
lif2 up/up 172.16.21.32/24 cl01-02 a0a true 4 entries were displayed. cl01::>
```



Referring to the exhibit, a customer needs to move LIF "fc\_lif1" to a new port.

Which three actions must be performed to accomplish this task? (Choose three.)

- A. Remove LIF from the existing portset.
- B. Quiesce all hosts accessing LUNs over the LIF.
- C. Take the LIF offline.
- D. Update the switch zone to include the new WWPN.
- E. Move the LIF to a new home port using the network interfacemodify command.

Correct Answer: CDE

---

#### QUESTION 5

Which objects reside inside an igroup?

- A. host initiators
- B. LUNs
- C. qtrees
- D. volumes

Correct Answer: A

[Latest NS0-506 Dumps](#)

[NS0-506 VCE Dumps](#)

[NS0-506 Study Guide](#)