

NS0-506^{Q&As}

NetApp Certified Implementation Engineer - SAN, Clustered Data ONTAP

Pass NetApp NS0-506 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/ns0-506.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/ns0-506.html 2024 Latest passapply NS0-506 PDF and VCE dumps Download

QUESTION 1
Which protocol allows to access a controller\\'s CLI interface?
A. SSH
B. NTP
C. TFTP
D. IMAP
Correct Answer: A
QUESTION 2
QUESTION 2
Which information-gathering command should you use to gather logs for troubleshooting switch information for your Brocade switches?
A. cfgshow
B. fabricshow
C. configshow
D. supportsave
Correct Answer: B
QUESTION 3
On a FAS8040, which port is used for FCoE connections?
A. e0M
B. e0P
C. 0a
D. e0h
Correct Answer: D

QUESTION 4

You have a 4-node FAS8040 cluster licensed for FCP and iSCSI. Each node has both FC and iSCSI LIFs. One of your Windows 2012 Servers has a single 8Gb FC port and a single 10 Gb Ethernet port with switched connectivity to the FC and Ethernet ports on the cluster. You need to use both ports on the host for multipath access to a LUN on the NetApp cluster.



https://www.passapply.com/ns0-506.html

2024 Latest passapply NS0-506 PDF and VCE dumps Download

What will accomplish this task?

- A. NetApp Data ONTAP DSM for Windows MPIO
- B. FCoE HBA
- C. iSCSI HBA
- D. native Windows MPIO

Correct Answer: A

QUESTION 5

You want to prevent an FCoE frame from being split into two Ethernet frames.

What is the minimum required frame size that will satisfy this requirement?

- A. 9216
- B. 2240
- C. 1512
- D. 9000

Correct Answer: B

<u>Latest NS0-506 Dumps</u> <u>NS0-506 Exam Questions</u> <u>NS0-506 Braindumps</u>