



NS0-515^{Q&As}

NetApp Certified Implementation Engineer - SAN, E-Series

Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-515.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What are two base host connectivity selections that are provided by the E2800 controller? (Choose two.)

- A. FC
- B. SAS
- C. IB
- D. iSCSI

Correct Answer: AD

Reference: <https://www.netapp.com/us/media/tr-4725.pdf>

QUESTION 2

Your AutoSupport does not automatically send reports to NetApp's ActiveIQ tool.

In this scenario, how do you access the data that would have been sent using the AutoSupport feature?

- A. Use SANtricity Unified Manager to collect the support data remotely
- B. Access the event log by using SANtricity System Manager
- C. Use SANtricity System Manager to manually collect the support data
- D. Ask NetApp Support to help you to access the data by using special support tools

Correct Answer: C

Reference: https://mysupport.netapp.com/NOW/public/eseries/sam_archive1150/index.html

QUESTION 3

Where would you find the version of the driver and firmware for QLogic HBAs that are supported by NetApp E-Series systems?

- A. Interoperability Matrix Tool
- B. SANtricity Admin Guide
- C. Hardware Universe
- D. QLogic download webpage

Correct Answer: D



QUESTION 4

A junior administrator recently made changes to an E-Series system. As a result of these changes, the management host lost the ability to manage the E-Series system through in-band management, but the host still has access to the E-Series data volumes.

In this scenario, what caused this issue?

- A. The access volume was un-mapped
- B. The management IPs were changed
- C. The ownership of the management host's volumes changed
- D. Auto Load Balancing was disabled

Correct Answer: B

QUESTION 5

A customer intends to use an E2812 system without expansion shelves. The specification for their Windows host requires that six E-Series data volumes be used.

In this scenario, how should the system be configured?

- A. one DDP with all the volumes
- B. three DDPs with the volumes divided equally
- C. one DDP for each volume
- D. two DDPs with the volumes divided equally

Correct Answer: A

Reference: <https://www.netapp.com/us/media/tr-4725.pdf> (37)

[NS0-515 PDF Dumps](#)

[NS0-515 VCE Dumps](#)

[NS0-515 Exam Questions](#)