



NS0-515^{Q&As}

NetApp Certified Implementation Engineer - SAN, E-Series

Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-515.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer intends to use an E2812 system without expansion shelves. The specification for their Windows host requires that six E-Series data volumes be used.

In this scenario, how should the system be configured?

- A. one DDP with all the volumes
- B. three DDPs with the volumes divided equally
- C. one DDP for each volume
- D. two DDPs with the volumes divided equally

Correct Answer: A

Reference: <https://www.netapp.com/us/media/tr-4725.pdf> (37)

QUESTION 2

You are adding drives to an existing Dynamic Disk Pool (DDP).

In this scenario, which two drive characteristics should you consider when selecting the drives? (Choose two.)

- A. if the drives are the same capacity or larger
- B. if the drives have a compatible security type
- C. if the drives are from the same manufacturer
- D. if the drives have the same firmware level

Correct Answer: AB

Reference: <https://www.netapp.com/us/media/tr-4652.pdf>

QUESTION 3

In which two locations would you find the WWPNs for a Windows host? (Choose two.)

- A. FC switch
- B. host\\'s BIOS
- C. Windows Device Manager
- D. HBA vendor\\'s utility

Correct Answer: AD



Reference: https://library.netapp.com/ecm/ecm_download_file/ECMP1532524 (7)

QUESTION 4

Click the Exhibit button.

Supported Adapter Cards – E2812 Duplex 16Gb 10GbE Base-T 11.50 SANtricity OS							
Adapters							
Priority	Category	Bus Type	Mktg Part No	Images	LED	Mfg Part No	Description
1	Block Access	PCle2	X-56023-00-0E-C		View		HIC.E2800.10Gb Base-T.2-ports, -C
2	Block Access	PCle2	X-56026-00-0E-C		View		HIC.E2800.12Gb SAS.2-ports, -C
3	Block Access	PCle2	X-56027-00-0E-C		View		HIC.E2800.12Gb SAS.4-ports, -C

You ordered a NetApp E2812 Duplex 16GB 10 GbE Base-T system. Referring to the exhibit, what is the maximum number of 10GbE Base-T ports available to be used?

- A. 8
- B. 4
- C. 6
- D. 12

Correct Answer: B

QUESTION 5

A customer is configuring an EF570 system on an internal network. Due to security concerns, the network does not have Internet access. The customer wants to regularly send standard support data to NetApp.

In this scenario, what should the customer do to accomplish this task?

- A. Enable AutoSupport with a set interval and with the store locally option selected, manually move the data to a server with Internet access, and then send the data to NetApp.
- B. Open a support ticket with NetApp to enable AutoSupport local functionality, manually move the data to a server with Internet access, and then send the data to NetApp.
- C. Set up a script to initiate Collect Support Data on a set interval, manually move the data to a server with Internet access, and then send the data to NetApp.
- D. Set up a script to initiate Collect Support Data, remove the extra log files, manually move the data to a server with Internet access, and then send the data to NetApp.

Correct Answer: A



VCE & PDF

PassApply.com

<https://www.passapply.com/ns0-515.html>

2024 Latest passapply NS0-515 PDF and VCE dumps Download

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2502818

[Latest NS0-515 Dumps](#)

[NS0-515 PDF Dumps](#)

[NS0-515 Practice Test](#)