



# NS0-515<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, E-Series

## Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-515.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two steps are required to enable multifactor authentication on an E-Series system? (Choose two.)

- A. Test SSO login
- B. Configure In-Band Management
- C. Map roles
- D. Configure LDAP

Correct Answer: AB

Reference: <https://www.netapp.com/us/media/tr-4712.pdf>

---

### QUESTION 2

What is represented by the Headroom graph on the SANtricity System Manager performance tab?

- A. the percentage of I/O associated with the backend disk drives
- B. the remaining performance capability of the physical objects in the storage system
- C. the percentage of CPU processing capacity that is being used by the operations on the system
- D. the resources that are being consumed by a defined workload


Correct Answer: B

Reference: [https://mysupport.netapp.com/NOW/public/eseries/sam\\_archive1130/GUID-8538272A-B80249D9-9EA2-96C82DAD26A2/GUID-8538272A-B802-49D9-9EA2-96C82DAD26A2\\_2.pdf](https://mysupport.netapp.com/NOW/public/eseries/sam_archive1130/GUID-8538272A-B80249D9-9EA2-96C82DAD26A2/GUID-8538272A-B802-49D9-9EA2-96C82DAD26A2_2.pdf) (379)

---

### QUESTION 3

Click the Exhibit button.



Referring to the exhibit, which cable is an InfiniBand 4X connector?

- A. 3
- B. 1
- C. 2
- D. 4

Correct Answer: C

Reference: [http://www.admin-sys.org/IMG/pdf/Hardware\\_Universe.pdf](http://www.admin-sys.org/IMG/pdf/Hardware_Universe.pdf)

#### QUESTION 4

An administrator is asked to create a Dynamic Disk Pools (DDP) pool from eleven 12 TB disks with the requirement that there is adequate space available for a reconstruction if a drive in the pool fails.

In this scenario, what should the administrator do to satisfy this requirement?

- A. Create the disk pool, and then edit the pool to reserve 12 TB of space
- B. Create the disk pool, and then add another 12 TB drive to the pool
- C. Create the disk pool, and then the system automatically reserves 12 TB of space
- D. Create the disk pool, and then create a hot spare on another 12 TB disk



Correct Answer: D

Reference: <https://www.netapp.com/us/media/tr-4652.pdf>

---

#### QUESTION 5

Which three factors should you consider before you install an E2860 in a data center? (Choose three.)

- A. current draw
- B. heat dissipation
- C. fire suppression capacity
- D. electromagnetic interference
- E. ambient temperatures

Correct Answer: CBE

[NS0-515 PDF Dumps](#)

[NS0-515 VCE Dumps](#)

[NS0-515 Practice Test](#)