



NS0-515^{Q&As}

NetApp Certified Implementation Engineer - SAN, E-Series

Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-515.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer is running several EF570 systems and uses the ability of the EF-Series systems to run two host protocols at the same time. You are installing a new EF570 that uses the NVMe protocol for a high performance computing application. The controller on-board ports will not connect, but the HIC ports are working fine.

In this scenario, what is the problem?

- A. The on-board host ports are disabled
- B. There is a cable fault preventing the on-board ports from connecting
- C. The on-board ports have the wrong SFPs for the desired network protocol
- D. The switch ports are shut-down

Correct Answer: C

QUESTION 2

A customer has launched a data analytics initiative and has been transferring old data into the new data lake. The customer has discovered some data read errors during the transfer process.

In this scenario, how should the customer have avoided these data integrity issues?

- A. by ensuring that data assurance and media scan are always activated
- B. by deploying secure-capable drives
- C. by turning on cyclic redundancy checks (CRCs)
- D. by turning on erasure coding

Correct Answer: A

QUESTION 3

A junior administrator recently made changes to an E-Series system. As a result of these changes, the management host lost the ability to manage the E-Series system through in-band management, but the host still has access to the E-Series data volumes.

In this scenario, what caused this issue?

- A. The access volume was un-mapped
- B. The management IPs were changed
- C. The ownership of the management host's volumes changed
- D. Auto Load Balancing was disabled



Correct Answer: B

QUESTION 4

Click the Exhibit button.

Rock_Group

(Optimal) (14 drives, 17820.00 GiB capacity, [2 free capacity areas](#))



Secure-capable Yes (🔒 not enabled) ? | DA No ?

An administrator is asked to create a 5532 GiB volume from the volume group. Referring to the exhibit, how would the administrator complete this request?

- A. Create the volume after performing space reclamation
- B. Create the volume after consolidating the capacity
- C. Create the volume from the available capacity
- D. Create the volume after adjusting the preservation capacity

Correct Answer: C

QUESTION 5

A customer wants to manage an E-Series system over a secure connection between the system and a server. During implementation, you are asked to fulfill this installation requirement.

In this scenario, which three actions are required to complete this task? (Choose three.)

- A. Disable the legacy management interface on the system
- B. Disable all the system's local user roles except admin
- C. Import certificate authority signed certificates into the system
- D. Import the system's self-signed certificates into the system
- E. Complete the certificate signing request on the system

Correct Answer: ADE