



# NS0-520<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN ONTAP

## Pass NetApp NS0-520 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-520.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A customer wants to move its iSCSI SAN data from the edge locations into the cloud for data analytics, while keeping the ability to access modify the data. Which two combined solutions meet the customer's requirements in this scenario? (Choose two.)

- A. Use Microsoft Azure compute resources to access the near cloud AFF SnapMirror data for analytics.
- B. Deploy ONTAP Cloud at edge locations and use SnapVault to move the data into an AFF on-premises data center.
- C. Deploy ONTAP Select at edge locations and use SnapMirror to move the data to AFF near cloud with the NetApp Private Storage (NPS) service.
- D. Use Amazon Web Services (AWS) compute resources to access ONTAP Select data at the edge office locations for analytics.

Correct Answer: AD

---

### QUESTION 2

You will be purchasing two high availability NetApp AFF A700s systems. You want to set up a 4-node cluster. Which switch would you use for the cluster interconnect switches?

- A. NetApp CN1610
- B. Cisco Nexus 3132Q-V
- C. Cisco Nexus 5548UP
- D. Cisco Nexus 5020

Correct Answer: B

---

### QUESTION 3

Which type of multipathing does Linux support?

- A. dm\_mp
- B. dsm
- C. mpio
- D. mcs

Correct Answer: A

---

### QUESTION 4



An administrator who is using the Virtual Storage Console (VSC) creates a new FC datastore on an existing volume. While the datastore was provisioned, two hosts were in maintenance mode. When the maintenance was completed, the two hosts do not have access to the new datastore, but they have access to other datastores on the same volume.

In this scenario, what caused this result?

- A. The VSC cannot create datastores while hosts are in maintenance mode.
- B. During host maintenance, the FC HBAs were replaced with different FC HBAs.
- C. The VSC created a new igroup that contains only the hosts that were online during the datastore creation.
- D. After creation using the VSC, the administrator needs to create a LUN mapping.

Correct Answer: C

---

#### QUESTION 5

The ESX host reports inconsistent performance for iSCSI-based connectivity. In this scenario, what would cause this problem?

- A. The host and storage are connected to different switches.
- B. The flow control was disabled on the storage.
- C. The hardware initiators were used instead of software.
- D. The flow control is enabled on the storage.

Correct Answer: B

[Latest NS0-520 Dumps](#)

[NS0-520 VCE Dumps](#)

[NS0-520 Exam Questions](#)