VCE & PDF
Passapply.com

# NSE4_FGT-5.6<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 5.6

## Pass Fortinet NSE4_FGT-5.6 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.passapply.com/nse4_fgt-5-6.html**

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

**QUESTION 1**

Which statements about an IPv6-over-IPv4 IPsec configuration are correct?

(Choose two.)

Response:

A. The remote gateway IP must be an IPv6 address.

B. The source quick mode selector must be an IPv4 address.

C. The local gateway IP must an IPv4 address.

D. The destination quick mode selector must be an IPv6 address.

Correct Answer: CD

**QUESTION 2**

Examine this partial output from the diagnose sys session list CLI command:

diagnose sys session list

session info: proto=6 proto_state=05 duration=2 expire=78 timeout=3600 flags=00000000

sockflag=00000000 sockport=0 av_idx=0 use=3

What does this output state?

Response:

A. proto_state=05 is the ICMP state

B. proto_state=05 is the UDP state

C. proto_state=05 is the TCP state

D. proto_state=05 means there is only one-way traffic

Correct Answer: C

**QUESTION 3**

Which statements about high availability (HA) for FortiGates are true?

(Choose two.)

Response:

A. Virtual clustering can be configured between two FortiGate devices with multiple VDOM.

B. Heartbeat interfaces are not required on the primary device.

C. HA management interface settings are synchronized between cluster members.

D. Sessions handled by UTM proxy cannot be synchronized.

Correct Answer: AC

## QUESTION 4

Examine the exhibit, which shows a FortiGate device with two VDOMs: VDOM1 and VDOM2. Both VDOMs are operating in NAT/route mode. The subnet 10.0.1.0/24 is connected to VDOM1.

The subnet 10.0.2.0/24 is connected to VDOM2. There is an inter-VDOM link between VDOM1 and VDOM2.



What is required in the FortiGate configuration to route traffic between both subnets through an inter-VDOM link?

Response:

A. A firewall policy in VDOM1 to allow the traffic from 10.0.1.0/24 to 10.0.2.0/24 with port1 as the source interface and port2 as the destination interface.

B. A static route in VDOM1 for the destination subnet of 10.0.1.0/24.

C. A static route in VDOM2 with the destination subnet matching the subnet assigned to the inter-VDOM link.

D. A static route in VDOM2 for the destination subnet 10.0.1.0/24.

Correct Answer: D

## QUESTION 5

Which of the following are differences between IPsec main mode and IPsec aggressive mode?

(Choose two.)

Response:

A. Aggressive mode supports XAuth, while main mode does not.

B. Six packets are usually exchanged during main mode, while only three packets are exchanged during aggressive mode.

C. The first packet of aggressive mode contains the peer ID, while the first packet of main mode does not.

D. Main mode cannot be used for dialup VPNs, while aggressive mode can.

Correct Answer: BC


NSE4_FGT-5.6 VCE Dumps          NSE4_FGT-5.6 Practice Test          NSE4_FGT-5.6 Study Guide