



NSE4_FGT-6.0^{Q&As}

Fortinet NSE 4 - FortiOS 6.0

Pass Fortinet NSE4_FGT-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse4_fgt-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

View the exhibit.

```
date=2018-01-30 time=07:21:49 logid="0316013057" type="utm" subtype="webfilter"  
eventtype="ftgd_blk" level="warning" vd="root" logtime=1517325709 policyid=1  
sessionid=15332 srcip=10.0.1.20 scrpport=59538 srcintf="port3" srcintfrole="undefined"  
dstip=208.91.112.55 dstport=80 dstintf="port1" dstintfrole="undefined" proto=6  
service="HTTP" hostname="lavito.tk" profile="Category-block-and-warning" action="blocked"  
reqtype="direct" url="/" sentbyte=140 rcvdbyte=0 direction="outgoing" msg="URL belongs  
a category with warnings enabled" method="domain" cat=0 catdesc="Unrated" crscore=30  
crlevel="high"
```

ID	Name	From	To
2	IPS	port1	port3
1	Full_Access	port3	port1
0	Implicit Deny	<input type="checkbox"/> any	<input type="checkbox"/> any

What does this raw log indicate? (Choose two.)

- A. FortiGate blocked the traffic.
- B. type indicates that a security event was recorded.
- C. 10.0.1.20 is the IP address for lavito.tk.
- D. policyid indicates that traffic went through the IPS firewall policy.

Correct Answer: BD

QUESTION 2

How does FortiGate select the central SNAT policy that is applied to a TCP session?

- A. It selects the SNAT policy specified in the configuration of the outgoing interface.
- B. It selects the first matching central SNAT policy, reviewing from top to bottom.
- C. It selects the central SNAT policy with the lowest priority.
- D. It selects the SNAT policy specified in the configuration of the firewall policy that matches the traffic.

Correct Answer: B



QUESTION 3

Which statement about the IP authentication header (AH) used by IPsec is true?

- A. AH does not provide any data integrity or encryption.
- B. AH does not support perfect forward secrecy.
- C. AH provides data integrity but no encryption.
- D. AH provides strong data integrity but weak encryption.

Correct Answer: C

QUESTION 4

Examine this FortiGate configuration:

```
config system global
    set av-failopen pass
end
```

Examine the output of the following debug command:

```
# diagnose hardware sysinfo conserve
memory conserve mode: on
total RAM: 3040 MB
memory used: 2948 MB 97% of total RAM
memory freeable: 92 MB 3% of total RAM
memory used + freeable threshold extreme: 2887 MB 95% of total RAM
memory used threshold red: 2675 MB 88% of total RAM
memory used threshold green: 2492 MB 82% of total RAM
```

Based on the diagnostic outputs above, how is the FortiGate handling the traffic for new sessions that require inspection?

- A. It is allowed, but with no inspection
- B. It is allowed and inspected as long as the inspection is flow based



- C. It is dropped.
- D. It is allowed and inspected, as long as the only inspection required is antivirus.

Correct Answer: A

QUESTION 5

View the certificate shown to the exhibit, and then answer the following question: The CA issued this certificate to which entity?

Field	Value
Version	V3
Serial Number	98765432
Signature algorithm	SHA256RSA
Issuer	cn=RootCA,o=BridgeAuthority, Inc., c=US
Valid from	Tuesday, October 3, 2016 4:33:37 PM
Valid to	Wednesday, October 2, 2019 5:03:37 PM
Subject	cn=John Doe, o=ABC, Inc. c=US
Public key	RSA (2048 bits)
Key Usage	keyCertSign
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2)
Basic Constraints	CA=True, Path Constraint=None
CRL Distribution Points	URL=http://webserver.abcinc.com/arlcert.crl

- A. A root CA
- B. A person
- C. A bridge CA
- D. A subordinate CA

Correct Answer: A