



# NSE4\_FGT-6.0<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 6.0

## Pass Fortinet NSE4\_FGT-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/nse4\\_fgt-6-0.html](https://www.passapply.com/nse4_fgt-6-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An administrator is attempting to allow access to <https://fortinet.com> through a firewall policy that is configured with a web filter and an SSL inspection profile configured for deep inspection. Which of the following are possible actions to eliminate the certificate error generated by deep inspection? (Choose two.)

- A. Implement firewall authentication for all users that need access to fortinet.com.
- B. Manually install the FortiGate deep inspection certificate as a trusted CA.
- C. Configure fortinet.com access to bypass the IPS engine.
- D. Configure an SSL-inspection exemption for fortinet.com.

Correct Answer: AD

---

### QUESTION 2

Which statement about the IP authentication header (AH) used by IPsec is true?

- A. AH does not provide any data integrity or encryption.
- B. AH does not support perfect forward secrecy.
- C. AH provides data integrity but no encryption.
- D. AH provides strong data integrity but weak encryption.

Correct Answer: C

---

### QUESTION 3

An administrator has configured a route-based IPsec VPN between two FortiGate devices. Which statement about this IPsec VPN configuration is true?

- A. A phase 2 configuration is not required.
- B. This VPN cannot be used as part of a hub-and-spoke topology.
- C. A virtual IPsec interface is automatically created after the phase 1 configuration is completed.
- D. The IPsec firewall policies must be placed at the top of the list.

Correct Answer: C

---

### QUESTION 4

View the exhibit.



```
Local-FortiGate # diagnose sys ha checksum cluster

===== FGVM010000058290 =====

is_manage_master()=1, is_root_master()=1
debugzone
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 42 a9 7d
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 13 c1 35

checksum
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 42 a9 7d
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 13 c1 35

===== FGVM010000058289 =====

is_manage_master()=0, is_root_master()=0
debugzone
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 8a 55 8b
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 dc 9a 43

checksum
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 8a 55 8b
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 dc 9a 43
```

Based on this output, which statements are correct? (Choose two.)

- A. The all VDOM is not synchronized between the primary and secondary FortiGate devices.
- B. The root VDOM is not synchronized between the primary and secondary FortiGate devices.
- C. The global configuration is synchronized between the primary and secondary FortiGate devices.
- D. The FortiGate devices have three VDOMs.

Correct Answer: BC



### QUESTION 5

Which statement is true regarding SSL VPN timers? (Choose two.)

- A. Allow to mitigate DoS attacks from partial HTTP requests.
- B. SSL VPN settings do not have customizable timers.
- C. Disconnect idle SSL VPN users when a firewall policy authentication timeout occurs.
- D. Prevent SSL VPN users from being logged out because of high network latency.

Correct Answer: AD

[NSE4\\_FGT-6.0 PDF Dumps](#) [NSE4\\_FGT-6.0 Study Guide](#) [NSE4\\_FGT-6.0 Braindumps](#)