



# NSE4\_FGT-6.2<sup>Q&As</sup>

Fortinet NSE 4 - FortiOS 6.2

## Pass Fortinet NSE4\_FGT-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/nse4\\_fgt-6-2.html](https://www.passapply.com/nse4_fgt-6-2.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following statements about converse mode are true? (Choose two.)

- A. FortiGate stops sending files to FortiSandbox for inspection.
- B. FortiGate stops doing RPF checks over incoming packets.
- C. Administrators cannot change the configuration.
- D. Administrators can access the FortiGate only through the console port.

Correct Answer: AC

---

### QUESTION 2

Which of the following statements are best practices for troubleshooting FSSO? (Choose two.)

- A. Include the group of guest users in a policy.
- B. Extend timeout timers.
- C. Guarantee at least 34 Kbps bandwidth between FortiGate and domain controllers.
- D. Ensure all firewalls allow the FSSO required ports.

Correct Answer: AD

---

### QUESTION 3

An administrator has configured central DNAT and virtual IPs. Which of the following can be selected in the firewall policy Destination field?

- A. A VIP group
- B. The mapped IP address object of the VIP object
- C. A VIP object
- D. An IP pool

Correct Answer: C

---

### QUESTION 4

Which of the following statements about virtual domains (VDMs) are true? (Choose two.)

- A. The root VDOM is the management VDOM by default.



- B. A FortiGate device has 64 VDOMs, created by default.
- C. Each VDOM maintains its own system time.
- D. Each VDOM maintains its own routing table.

Correct Answer: AD

---

#### QUESTION 5

When browsing to an internal web server using a web-mode SSL VPN bookmark, which IP address is used as the source of the HTTP request?

- A. remote user's public IP address
- B. The public IP address of the FortiGate device.
- C. The remote user's virtual IP address.
- D. The internal IP address of the FortiGate device.

Correct Answer: D

[NSE4\\_FGT-6.2 VCE Dumps](#) [NSE4\\_FGT-6.2 Study Guide](#)

[NSE4\\_FGT-6.2 Exam Questions](#)