



NSE4_FGT-7.0^{Q&As}

Fortinet NSE 4 - FortiOS 7.0

Pass Fortinet NSE4_FGT-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse4_fgt-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What types of traffic and attacks can be blocked by a web application firewall (WAF) profile? (Choose three.)

- A. Traffic to botnetservers
- B. Traffic to inappropriate web sites
- C. Server information disclosure attacks
- D. Credit card data leaks
- E. SQL injection attacks

Correct Answer: CDE

QUESTION 2

Refer to the exhibit.



Network interface configuration

Edit Interface

Name LAN(port3)
Alias
Type Physical Interface
Role

Address

Addressing mode Manual DHCP
IP/Netmask
Secondary IP address

Administrative Access

IPv4 HTTPS HTTP PING
 FMG-Access SSH SNMP
 TELNET FTM RADIUS Accounting
 Security Fabric
Connection

Receive LLDP Use VDOM Setting Enable Disable
Transmit LLDP Use VDOM Setting Enable Disable

Network

Device detection

Security mode Captive Portal

Authentication portal Local External

User Access Restricted to Groups Allow all

User Groups

Exempt sources

Exempt destinations/services

Redirect after Captive Portal Original Request Specific URL



```
Enforce authentication on demand option enabled

Local-FortiGate # config user setting

Local-FortiGate (setting) # show
config user setting
    set auth-cert "Fortinet_Factory"
    set auth-on-demand always
end
```

Name	Source	Destination	Schedule	Service	Action	NAT
LAN(port3) → WAN(port1) 2						
Sales Users	Sales LOCAL_SUBNET	all	always	ALL	✓ ACCEPT	✓ Enabled
Auth-Users	LOCAL_SUBNET	all	always	ALL	✓ ACCEPT	✓ Enabled

The exhibit contains a network interface configuration, firewall policies, and a CLI console configuration.

How will FortiGate handle user authentication for traffic that arrives on the LAN interface?

- A. If there is a full-through policy in place, users will not be prompted for authentication.
- B. Users from the Sales group will be prompted for authentication and can authenticate successfully with the correct credentials.
- C. Authentication is enforced at a policy level; all users will be prompted for authentication.
- D. Users from the HR group will be prompted for authentication and can authenticate successfully with the correct credentials.

Correct Answer: C

QUESTION 3

Which type of logs on FortiGate record information about traffic directly to and from the FortiGate management IP addresses?

- A. System event logs
- B. Forward traffic logs



- C. Local traffic logs
- D. Security logs

Correct Answer: C

Reference: <https://docs.fortinet.com/document/fortigate/5.4.0/cookbook/476970>

QUESTION 4

Exhibit:

```
Fortigate # show authentication rule
config authentication rule
  edit "NTLM_rule"
    set srcaddr "all"
    set ip-based disable
    set web-auth-cookie enable
  next
end
```

Refer to the exhibit to view the authentication rule configuration. In this scenario, which statement is true?

- A. IP-based authentication is enabled
- B. Route-based authentication is enabled
- C. Session-based authentication is enabled.
- D. Policy-based authentication is enabled

Correct Answer: C

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD45387>

QUESTION 5

Which CLI command allows administrators to troubleshoot Layer 2 issues, such as an IP address conflict?

- A. get system status
- B. get system performance status
- C. diagnose sys top



D. get system arp

Correct Answer: D

"If you suspect that there is an IP address conflict, or that an IP has been assigned to the wrong device, you may need to look at the ARP table."

[NSE4_FGT-7.0 VCE Dumps](#)

[NSE4_FGT-7.0 Practice
Test](#)

[NSE4_FGT-7.0 Braindumps](#)