



NSE5_FMG-6.0^{Q&As}

Fortinet NSE 5 - FortiManager 6.0

Pass Fortinet NSE5_FMG-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse5_fmg-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

View the following exhibit.



Starting Log (Run the device)

Start installing

```
Local-FortiGate $ config user device
```

```
Local-FortiGate (device) $ edit "mydevice"
```

```
new entry 'mydevice' added
```

```
Local-FortiGate (mydevice) $ next
```

```
MAC address can not be 0
```

```
Node_check_object fail!for mac 00:00:00:00:00:00
```

```
Attribute 'mac' value '00:00:00:00:00:00' checkingfail -33
```

```
Command fail. Return code 1
```

```
Local-FortiGate (device) $ end
```

```
...
```

```
Local-FortiGate $ config firewall policy
```

```
Local-FortiGate (policy) $ edit 2
```

```
New entry '2' added
```

```
Local-FortiGate (2) $ set name "Device_policy"
```

```
Local-FortiGate (2) $ set uuid 64...
```

```
Local-FortiGate (2) $ set srcintf "port3"
```

```
Local-FortiGate (2) $ set dstintf "port1"
```

```
Local-FortiGate (2) $ set srcaddr "all"
```

```
Local-FortiGate (2) $ set dstaddr "all"
```

```
Local-FortiGate (2) $ set action accept
```

```
Local-FortiGate (2) $ set schedule "always"
```

```
Local-FortiGate (2) $ set service "ALL"
```

```
Local-FortiGate (2) $ set devices "mydevice"
```

```
Entry not found in datasource
```

```
Value parse error before 'mydevice'
```

```
Command fail. Return code -3
```

```
Local-FortiGate (2) $ set nat enable
```

```
Local-FortiGate (2) $ next
```

```
Local-FortiGate (policy) $ end
```

```
...
```



Which statement is true regarding this failed installation log?

- A. Policy ID 2 is installed without a source address
- B. Policy ID 2 will not be installed
- C. Policy ID 2 is installed in disabled state
- D. Policy ID 2 is installed without a source device

Correct Answer: D

QUESTION 2

What does a policy package status of Modified indicate?

- A. FortiManager is unable to determine the policy package status
- B. The policy package was never imported after a device was registered on FortiManager
- C. Policy configuration has been changed on a managed device and changes have not yet been imported into FortiManager
- D. Policy package configuration has been changed on FortiManager and changes have not yet been installed on the managed device.

Correct Answer: D

QUESTION 3

Which of the following statements are true regarding ADOM revisions? (Choose two.)

- A. ADOM revisions can significantly increase the size of the configuration backups.
- B. ADOM revisions can save the current size of the whole ADOM
- C. ADOM revisions can create System Checkpoints for the FortiManager configuration
- D. ADOM revisions can save the current state of all policy packages and objects for an ADOM

Correct Answer: AD

QUESTION 4

An administrator, Trainer, who is assigned the Super_User profile, is trying to approve a workflow session that was submitted by another administrator, Student. However, Trainer is unable to approve the approving a workflow session?



Session List

View Diff						
<input type="checkbox"/>	ID	Name	User	Date Submitt...	Approved/To...	Comments
<input checked="" type="checkbox"/>	1	Firewall p..	Student	2017-06-01...	0/1	firewall policies

+ Add Comment


[Student] - 2017-06-01
13:31:35
firewall policies
[Student] - 2017-06-01
16:29:27

- A. Trainer is not a part of workflow approval group
- B. Trainer does not have full rights over this ADOM
- C. Trainer must close Student\'s workflow session before approving the request
- D. Student, who submitted the workflow session, must first self-approve the request

Correct Answer: A

QUESTION 5

View the following exhibit.



Which of the following statements are true if FortiManager and FortiGate are behind the NAT devices? (Choose two.)

- A. FortiGate is discovered by FortiManager through the FortiGate NATed IP address.
- B. FortiGate can announce itself to FortiManager only if the FortiManager IP address is configured on FortiGate under central management.
- C. During discovery, the FortiManager NATed IP address is not set by default on FortiGate.
- D. If the FGFM tunnel is torn down, FortiManager will try to re-establish the FGFM tunnel.

Correct Answer: AD



VCE & PDF

PassApply.com

https://www.passapply.com/nse5_fmg-6-0.html

2024 Latest passapply NSE5_FMG-6.0 PDF and VCE dumps Download

[NSE5 FMG-6.0 PDF
Dumps](#)

[NSE5 FMG-6.0 Exam
Questions](#)

[NSE5 FMG-6.0
Braindumps](#)