NSE5_FMG-7.0^{Q&As}

NSE5_FMG-7.0$^{Q\&As}$

Fortinet NSE 5 - FortiManager 7.0

Pass Fortinet NSE5_FMG-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse5_fmg-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

QUESTION 1

Refer to the exhibit.

> Start to import config from device(Local-FortiGate) vdom(root) to adom(My_ADOM), package(Local-FortiGate_root)
>
> "firewall service category",SKIPPED,"(name=General, oid=697, DUPLICATE)"
>
> "firewall address",SUCCESS,"(name=LOCAL_SUBNET, oid=684, new object)"
>
> "firewall service custom",SUCCESS,"(name=ALL, oid=863, update previous object)"
>
> "firewall policy",SUCCESS,"(name=1, oid=1090, new object)"

Given the configuration shown in the exhibit, how did FortiManager handle the service category named General?

A. FortiManager ignored the firewall service category General but created a new service category in its database.

B. FortiManager ignored the firewall service category general and deleted the duplicate value In Its database

C. FortiManager ignored the firewall service category General and updated the FortiGate duplicate value in the FortiGate database.

D. FortiManager ignored the firewall service category General and did not update Its database with the value

Correct Answer: C

QUESTION 2

When an installation is performed from FortiManager, what is the recovery logic used between FortiManager and FortiGate for an FGFM tunnel?

A. After 15 minutes, FortiGate will unset all CLI commands that were part of the installation that caused the tunnel to go down.

B. FortiManager will revert and install a previous configuration revision on the managed FortiGate.

C. FortiGate will reject the CLI commands that will cause the tunnel to go down.

D. FortiManager will not push the CLI commands as a part of the installation that will cause the tunnel to go down.

Correct Answer: B

The configuration change will break the fgfm connection, causing the FortiGate unit to attempt to reconnect for 900 seconds. If the FortiGate cannot reconnect, it will rollback to its previous configuration.

QUESTION 3

Which two settings must be configured for SD-WAN Central Management? (Choose two.)

A. SD-WAN must be enabled on per-ADOM basis

B. You can create multiple SD-WAN interfaces per VDOM

C. When you configure an SD-WAN, you must specify at least two member interfaces.

D. The first step in creating an SD-WAN using FortiManager is to create two SD-WAN firewall policies.

Correct Answer: AC

QUESTION 4

View the following exhibit.

What is the purpose of setting ADOM Mode to Advanced?

A. The setting allows automatic updates to the policy package configuration for a managed device

B. The setting enables the ADOMs feature on FortiManager

C. This setting allows you to assign different VDOMs from the same FortiGate to different ADOMs.

D. The setting disables concurrent ADOM access and adds ADOM locking

Correct Answer: C

Reference: https://docs.fortinet.com/document/fortianalyzer/7.0.0/administration-guide/66530/adom-device-modes

QUESTION 5

You are moving managed FortiGate devices from one ADOM to a new ADOM. Which statement correctly describes the expected result?

A. Any pending device settings will be installed automatically

B. Any unused objects from a previous ADOM are moved to the new ADOM automatically

C. The shared policy package will not be moved to the new ADOM

D. Policy packages will be imported into the new ADOM automaticallyD

Correct Answer: C

Reference: https://community.fortinet.com/t5/FortiManager/Technical-Note-How-to-move-objects-to-new-ADOM-on-FortiManager/ta-p/198342