



NSE6_FAD-6.2^{Q&As}

Fortinet NSE 6 - FortiADC 6.2

Pass Fortinet NSE6_FAD-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fad-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When using FortiADC in a global load balancing configuration, in which two ways do general DNS settings differ from a global DNS policy? (Choose two.)

- A. Traffic not matching a global DNS policy is served by the general DNS settings
- B. Traffic matching source or destination criteria is served by the general DNS policy.
- C. Traffic matching the zone, as well as both source and destination criteria, is served by the global DNS policy.
- D. Traffic not matching general DNS settings is served by a matching global DNS policy.

Correct Answer: AC

QUESTION 2

A FortiADC administrator wants to offload SSL encryption and decryption of web traffic to lessen overhead on the real servers, while maintaining SSL encryption with the client.

Which must be true to allow FortiADC to provide this capability?

- A. The real server pool must be configured for SSL
- B. The virtual server must be configured to perform content routing
- C. The real server certificate and private key must be installed on FortiADC
- D. The virtual server must use a TCPS application profile

Correct Answer: C

QUESTION 3

Which two settings are included in the global load balancing general DNS settings? (Choose two.)

- A. Recursion
- B. Response rate limit
- C. Management traffic
- D. Default zone configurations

Correct Answer: AB

QUESTION 4



Which load balancing method requires the use of an SNMP health check?

- A. Destination IP hash
- B. Round robin
- C. Dynamic load
- D. Least connection

Correct Answer: C

QUESTION 5

Refer to the exhibits.



Which show the HA configurations for two FortiADC devices

If both FortiADC devices are operational, which FortiADC is the active device in the cluster?



- A. The FortiADC with the highest HA uptime value
- B. The FortiADC with the highest sorting serial number
- C. FortiADC-1
- D. FortiADC-2

Correct Answer: D

[Latest NSE6_FAD-6.2 Dumps](#)

[NSE6_FAD-6.2 VCE Dumps](#)

[NSE6_FAD-6.2 Practice Test](#)