



# NSE6\_FML-6.0<sup>Q&As</sup>

Fortinet NSE 6 - FortiMail 6.0

## Pass Fortinet NSE6\_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/nse6\\_fml-6-0.html](https://www.passapply.com/nse6_fml-6-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal and there are no unnecessary failovers?

- A. Upgrade the active unit, which will upgrade the standby unit automatically
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Break the cluster, upgrade the units independently, and then form the cluster again as quickly as possible

Correct Answer: D

---

### QUESTION 2

Which of the following antispam techniques queries FortiGuard for rating information? (Choose two.)


- A. URI filter
- B. IP reputation
- C. SURBL
- D. DNSBL

Correct Answer: BD

---

### QUESTION 3

Examine the FortiMail active-passive cluster shown in the exhibit; then answer the question below.



### Primary HA Interface Configuration

#### HA Interface

Port: **port1...**

Enable port monitor ☐

Heartbeat status: **Disable**

Peer IP address: **0.0.0.0**

Peer IPv6 address: **::**

Virtual IP action: **Ignore**

Virtual IP address: **0.0.0.0** / **0**

Virtual IPv6 address: **::** / **0**

Which of the following parameters are recommended for the Primary FortiMail's HA interface configuration? (Choose three.)


- A. Enable port monitor: disable
- B. Peer IP address: 172.16.32.57
- C. Heartbeat status: Primary
- D. Virtual IP address: 172.16.32.55/24



E. Virtual IP action: Use

Correct Answer: CDE

#### QUESTION 4



**Proxies****For outgoing SMTP connections**☒ Use client-specified SMTP server to send email

Apply

Cancel

**Domains**Domain name: Relay type: SMTP server: Port: Use SMTPS ☐Fallback SMTP server: Port: Use SMTPS ☐☐

Relay Authentication

Is subdomain ☐Main domain: ☒ Recipient Address Verification☒ Transparent Mode OptionsThis server is on ☐

Hide the transparent box

☒

Use this domain's SMTP server to deliver the mail

Which of the following statements are true regarding the transparent mode FortiMail's email routing for the example.com domain? (Choose two.)

A. FML-1 will use the built-in MTA for outgoing sessions



- B. FML-1 will use the transparent proxy for incoming sessions
- C. If incoming email are undeliverable, FML-1 can queue them to retry again later
- D. If outgoing email messages are undeliverable, FML-1 can queue them to retry later

Correct Answer: BC

---

#### QUESTION 5

A FortiMail administrator is investigating a sudden increase in DSNs being delivered to the protected domain for undeliverable email messages. After searching the logs, the administrator identifies that the DSNs were not generated as a result of any outbound email sent from the protected domain. Which FortiMail antispam technique can the administrator use to prevent this scenario? (Choose one.)

- A. Bounce address tag validation
- B. Spam outbreak protection
- C. Spoofed header detection
- D. FortiGuard IP Reputation

Correct Answer: B

[NSE6\\_FML-6.0 PDF Dumps](#) [NSE6\\_FML-6.0 VCE Dumps](#) [NSE6\\_FML-6.0 Study Guide](#)