



# NSE6\_FML-6.0<sup>Q&As</sup>

Fortinet NSE 6 - FortiMail 6.0

## Pass Fortinet NSE6\_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/nse6\\_fml-6-0.html](https://www.passapply.com/nse6_fml-6-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal and there are no unnecessary failovers?

- A. Upgrade the active unit, which will upgrade the standby unit automatically
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Break the cluster, upgrade the units independently, and then form the cluster again as quickly as possible

Correct Answer: D

### QUESTION 2

Examine the FortiMail IBE users shown in the exhibit; then answer the question below Which one of the following statements describes the Pre-registered status of the IBE user krayner@external.com?

Active User						
Expired User   Secure Question   IBE Authentication   IBE Domain						
Delete   Maintenance   Reset User						
Page 1 / 1   Records per page: 50   IBE domain: external.com   Search						
Enabled	Email	First Name	Last Name	Status	Creation Time	Last Access
<input checked="" type="checkbox"/>	njordan@external.com	Hal	Jordan	Activated	Wed, 12 Apr 2017 13:00:28 EDT	Wed, 12 Apr 2017 13:01:25 EDT
<input checked="" type="checkbox"/>	krayner@external.com			Pre-registered	Wed, 12 Apr 2017 13:02:13 EDT	Wed, 12 Apr 2017 13:02:13 EDT

- A. The user was registered by an administrator in anticipation of IBE participation
- B. The user has completed the IBE registration process but has not yet accessed their IBE email
- C. The user has received an IBE notification email, but has not accessed the HTTPS URL or attachment yet
- D. The user account has been de-activated, and the user must register again the next time they receive an IBE email

Correct Answer: C

### QUESTION 3

Examine the FortiMail session profile and protected domain configuration shown in the exhibit; then answer the question below.



**Session**

**Session Profile**

Profile name:

☐ Connection Settings

☐ Sender Reputation

☐ Endpoint Reputation

☐ Sender Validation

☐ Session Settings

☐ Unauthenticated Session Settings

☐ SMTP Limits

Restrict number of EHLO/HELOs per session to:

Restrict number of email per session to:

Restrict number of recipients per email to:

Cap message size (KB) at:

Cap header size (KB) at:

Maximum number of NOOPs allowed for each connection:

Maximum number of RSETs allowed for each connection:

**Domains**

Domain name:

Is subdomain: ☐

Main domain:

LDAP User Profile:

☐ Advanced Settings

☐ Mail Routing LDAP profile:

☐ Remove received header of outgoing email

Webmail theme:

Webmail language:

Maximum message size(KB):

Automatically add new users to address book:

Which size limit will FortiMail apply to outbound email?

A. 204800


B. 51200 C. 1024



D. 10240

Correct Answer: A

#### QUESTION 4



**Proxies****For outgoing SMTP connections**☒ Use client-specified SMTP server to send email

Apply

Cancel

**Domains**Domain name: Relay type: SMTP server: Port: Use SMTPS ☐Fallback SMTP server: Port: Use SMTPS ☐☐

Relay Authentication

Is subdomain ☐Main domain: ☒ Recipient Address Verification☒ Transparent Mode OptionsThis server is on ☐

Hide the transparent box

☒

Use this domain's SMTP server to deliver the mail

Which of the following statements are true regarding the transparent mode FortiMail's email routing for the example.com domain? (Choose two.)

A. FML-1 will use the built-in MTA for outgoing sessions




- B. FML-1 will use the transparent proxy for incoming sessions
- C. If incoming email are undeliverable, FML-1 can queue them to retry again later
- D. If outgoing email messages are undeliverable, FML-1 can queue them to retry later

Correct Answer: BC

---

#### QUESTION 5

Examine the FortiMail active-passive cluster shown in the exhibit; then answer the question below.





## Primary HA Interface Configuration

### HA Interface

Port: **port1...**

Enable port monitor ☐

Heartbeat status: **Disable**

Peer IP address: **0.0.0.0**

Peer IPv6 address: **::**

Virtual IP action: **Ignore**

Virtual IP address: **0.0.0.0** / **0**

Virtual IPv6 address: **::** / **0**

Which of the following parameters are recommended for the Primary FortiMail's HA interface configuration? (Choose three.)

- A. Enable port monitor: disable
- B. Peer IP address: 172.16.32.57
- C. Heartbeat status: Primary
- D. Virtual IP address: 172.16.32.55/24
- E. Virtual IP action: Use

Correct Answer: CDE

[NSE6\\_FML-6.0 VCE Dumps](#)

[NSE6\\_FML-6.0 Practice  
Test](#)

[NSE6\\_FML-6.0 Study Guide](#)