



NSE6_FML-6.0^{Q&As}

Fortinet NSE 6 - FortiMail 6.0

Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fml-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Examine the FortiMail IBE users shown in the exhibit; then answer the question below Which one of the following statements describes the Pre-registered status of the IBE user krayner@external.com?


Active User						
Expired User						
Secure Question						
IBE Authentication						
IBE Domain						
Delete Maintenance Reset User						
Page 1 / 1 Records per page: 50 IBE domain: external.com Search						
Enabled	Email	First Name	Last Name	Status	Creation Time	Last Access
<input checked="" type="checkbox"/>	hJordan@external.com	Hal	Jordan	Activated	Wed, 12 Apr 2017 13:00:28 EDT	Wed, 12 Apr 2017 13:01:25 EDT
<input checked="" type="checkbox"/>	krayner@external.com			Pre-registered	Wed, 12 Apr 2017 13:02:13 EDT	Wed, 12 Apr 2017 13:02:13 EDT

- A. The user was registered by an administrator in anticipation of IBE participation
- B. The user has completed the IBE registration process but has not yet accessed their IBE email
- C. The user has received an IBE notification email, but has not accessed the HTTPS URL or attachment yet
- D. The user account has been de-activated, and the user must register again the next time they receive an IBE email

Correct Answer: C

QUESTION 2

Examine the exhibit; then answer the question below.




MTA 1 is delivering an email intended for User 1 to MTA 2. Which of the following statements about protocol usage between the devices are true? (Choose two.)

- A. MTA 2 will use IMAP to receive the email message from MTA 1
- B. MTA 1 will use SMTP to deliver the email message to MTA 2
- C. User 1 will use IMAP to download the email message from MTA 2
- D. MTA 1 will use POP3 to deliver the email message to User 1 directly

Correct Answer: BC

QUESTION 3

Examine the FortiMail topology and access receive rule shown in the exhibit; then answer the question below.

**FortiMail****Access Control Rule**

Enabled	<input checked="" type="checkbox"/>
Sender pattern:	<div>User Defined</div> <div>*</div> <div><input type="checkbox"/> Regular expression</div>
Recipient pattern:	<div>User Defined</div> <div>*</div> <div><input type="checkbox"/> Regular expression</div>
Sender IP/netmask:	<div>User Defined</div> <div>0.0.0.0 / 0</div>
Reverse DNS pattern:	<div>*</div> <div><input type="checkbox"/> Regular expression</div>
Authentication status:	<div>Any</div>
TLS profile:	<div>--None--</div> <div>New... Edit...</div>
Action:	<div>Reject</div>
Comments:	<div></div>

Create

Cancel

An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain. Which of the following settings should be used to configure the access receive rule? (Choose two.)

- A. The Sender IP/netmask should be set to 10.29.1.0/24
- B. The Authentication status should be set to Authenticated



C. The Recipient pattern should be set o *@example.com

D. The Action should be set to Reject

Correct Answer: CD

QUESTION 4

Examine the message column of a log cross search result of an inbound email shown in the exhibit; then answer the question below



Based on logs, which of the following statements are true? (Choose two.)

A. The FortiMail is experiencing issues delivering the email to the back-end mail server

B. The logs were generated by a server mode FortiMail

C. The logs were generated by a gateway or transparent mode FortiMail

D. The FortiMail is experiencing issues accepting the connection from the remote sender

Correct Answer: BD

QUESTION 5

A FortiMail administrator is investigating a sudden increase in DSNs being delivered to the protected domain for undeliverable email messages. After searching the logs, the administrator identifies that the DSNs were not generated as a result of any outbound email sent from the protected domain. Which FortiMail antispam technique can the administrator use to prevent this scenario? (Choose one.)

A. Bounce address tag validation

B. Spam outbreak protection

C. Spoofed header detection

D. FortiGuard IP Reputation

Correct Answer: B



VCE & PDF

PassApply.com

https://www.passapply.com/nse6_fml-6-0.html

2024 Latest passapply NSE6_FML-6.0 PDF and VCE dumps Download

[NSE6 FML-6.0 Practice Test](#)

[NSE6 FML-6.0 Exam Questions](#)

[NSE6 FML-6.0 Braindumps](#)