



NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.



Access Control Rule	
Enabled	<input checked="" type="checkbox"/>
Sender:	User Defined *
Recipient:	User Defined *
Source:	IP/Netmask 0.0.0.0/0
Reverse DNS pattern:	* <input type="checkbox"/> Regular Expression
Authentication status:	Any
TLS profile:	--None-- <input type="button" value="+ New..."/> <input type="button" value="Edit..."/>
Action:	Reject
Comments:	

It is recommended that you configure which three access receive settings to allow outbound email from the example.com domain on FML-1? (Choose three.)

- A. The Sender pattern should be set to *@example.com
- B. The Action should be set to Relay



- C. The Recipient pattern should be set to 10.29.1.45/24
- D. The Enable check box should be cleared
- E. The Sender IP/netmask should be set to 10.29.1.45/32

Correct Answer: BDE

QUESTION 2

Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?

- A. Behavior analysis
- B. Impersonation analysis
- C. Content disarm and reconstruction
- D. Header analysis

Correct Answer: C

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9a989-00505692583a/fortimail-admin-620.pdf> (435)

QUESTION 3

A FortiMail administrator is investigating a sudden increase in DSNs being delivered to the protected domain for undeliverable email messages. After searching the logs, the administrator identifies that the DSNs were not generated as a result of any outbound email sent from the protected domain.

Which FortiMail antispam technique can the administrator use to prevent this scenario?


- A. Spam outbreak protection
- B. Bounce address tag validation
- C. Spoofed header detection
- D. FortiGuard IP Reputation

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/769204/managing-themail-queue>

QUESTION 4

Refer to the exhibit.



IP Policy											
+ New.. Edit.. Delete.. Move											
Records per page: 50											
Enabled	ID	Source	Destinati...	Session	AntiSpam	AntiVirus	Content	DLP	IP Pool	Authentication	Exclu...
<input checked="" type="checkbox"/>	1	0.0.0.0/0	0.0.0.0/0	Example Session							<input checked="" type="checkbox"/>

An administrator has enabled the sender reputation feature in the Example_Session profile on FML-1. After a few hours, the deferred queue on the mail server starts filling up with undeliverable email. What two changes must the administrator make to fix this issue? (Choose two.)

- A. Apply a session profile with sender reputation disabled on a separate IP policy for outbound sessions
- B. Clear the sender reputation database using the CLI
- C. Create an outbound recipient policy to bypass outbound email from session profile inspections
- D. Disable the exclusive flag in IP policy ID 1

Correct Answer: AD

QUESTION 5

Refer to the exhibit.

Active User						
Delete Maintenance Reset User						
Records per page: 50 IBE domain: --All-- Search:						
Enabled	Email	First Name	Last Name	Status	Creation Time	Last Access
<input checked="" type="checkbox"/>	extuser@external.lab	Mail	User	Activated	Wed, 05 Sep 2018 12:05:47 PDT	Wed, 05 Sep 2018 12:38:56 PDT
<input checked="" type="checkbox"/>	extuser2@external.lab			Pre-registered	Wed, 05 Sep 2018 12:41:32 PDT	Wed, 05 Sep 2018 12:41:32 PDT

Which statement describes the pre-registered status of the IBE user extuser2@external.lab?

- A. The user has received an IBE notification email, but has not accessed the HTTPS URL or attachment yet.



- B. The user account has been de-activated, and the user must register again the next time they receive an IBE email.
- C. The user was registered by an administrator in anticipation of IBE participation.
- D. The user has completed the IBE registration process, but has not yet accessed their IBE email.

Correct Answer: D

Reference: <https://docs.fortinet.com/document/fortimail/6.4.2/administration-guide/470401/configuring-ibeusers>

[NSE6 FML-6.2 PDF Dumps](#) [NSE6 FML-6.2 VCE Dumps](#) [NSE6 FML-6.2 Study Guide](#)